

Index to volume 150

Author index*

A

- AARSKOG, DAGFINN (see MARKESTAD ET AL.), 254
 ABBOD, THERESE K. (see HOFFMAN ET AL.), 492
 ADDISON, W. ALLEN (see LIVENGOD, ADDISON, and VOELLER), 319
 AGRONOW, SAMUEL J. (see REID ET AL.), 189
 AHAM, JOSEPH A., TOAFF, MICHAEL E., CHANDRA, PRASANTA, LAFFEY, PATRICIA, and CHAWLA, HARBHARAN S. Successful outcome of a twin gestation in both horns of a bicornuate uterus, 323 (Comm. in brief)
 AKSNES, LAGE (see MARKESTAD ET AL.), 254
 ALEXANDER, CHARLES E. (see MASCOLA, PELOSI, and ALEXANDER), 945
 ALGER, LINDAY S., KISNER, HAROLD J., and NAGEY, DAVID A. The presence of a meconium-like substance in second-trimester amniotic fluid, 380
 ALLITTO, BERNICE A. (see KUTTEH ET AL.), 65
 AMICO, JANET (see SEITCHIK ET AL.), 225
 AMIR, SYED M., OSATHANONDI, RAPIN, BERKOWITZ, ROSS S., and GOLDSTEIN, DONALD P. Human chorionic gonadotropin and thyroid function in patients with hydatidiform mole, 723
 ANDERSON, GARY D., BLIDNER, ILSA N., MCCLEMONT, SHARON, and SINCLAIR, JOHN C. Determinants of size at birth in a Canadian population, 326
 ANDERSON, ROBERT L., SIMPSON, GARY F., SHERMAN, SANFORD, DEDO, HERBERT H., and GOLBUS, MITCHELL S. Fetal pharyngeal teratoma—Another cause of elevated amniotic fluid α -fetoprotein, 432 (Comm. in brief)
 APIMAS, SUPANEE J. (see KOETSAWANG ET AL.), 931
 ARIAS, FERNANDO (see SALINAS and ARIAS), 541
 ARO, TIMO, HAAPAKOSKI, JAASON, HEINONEN, OLLI P., and SAXEN, LAURI. Lack of association between vitamin intake during early pregnancy and reduction limb defects, 433 (Comm. in brief)
 AROF, HOWARD M., GERBIE, MELVIN V., and SMELTZER, JAMES. Cryosurgical treatment of cervical intraepithelial neoplasia: Four-year experience, 865
 ARTAL, R. (see ROMEM and ARTAL), 546
 ASCH, RICARDO H. (see SCHENKEN ET AL.), 349
 ASHMEAD, GRAHAM (see CARITIS ET AL.), 7
 AVERETTE, HERVY E., LICHTINGER, MOISES, SEVIN, BERND-UIWE, and GIRTANNER, ROBERT E. Pelvic exenteration: A 15-year experience in a general metropolitan hospital, 179
 AYERS, LEONA W. (see BUMP ET AL.), 917

B

- BAKRI, YOUNES N., and GIVEN, FRED T., JR. Radioactivity in blood and urine following intraperitoneal instillation of chromic phosphate in patients with and without ascites, 184
 BALLON, SAMUEL C. (see TENG and BALLON), 961
 BAR-MEIR, SIMON, and ROTMENSCH, SIEGFRIED. Investigation of obstructive jaundice by an ultra-thin-caliber endoscope: A new technique for potential use in pregnancy, 1003 (Comm. in brief)
 BARBER, HUGH R. K. Ovarian cancer: Diagnosis and management, 910 (Clinical opinion)
 BARNES, A. DAVID, HARDER, ELMER, and TOOT, PAUL J. Successful pregnancy following partial hepatectomy for removal of hepatocellular adenomas, 998 (Comm. in brief)
 BARRETT, JEFFREY M. Fetal resuscitation with terbutaline during eclampsia-induced uterine hypertonus, 895 (Comm. in brief)
 BARROWS, HOLLY (see IAMS and BARROWS), 977

- BELFIELD, ALAN (see RUBIN ET AL.), 389
 BELLINA, JOSEPH H., MEANDZIZA, P., SCHILLT, VLADIMIR, VOROS, JANOS I., BERGER, MAX, FICK, ANA CORREA, JACKSON, JEFF D., and MCNAUGHTON, SCOTT. Analysis of electronically pulsed versus quasi-continuous wave carbon dioxide lasers in an animal model, 934
 BELLUCCI, MITCHELL J., COUSTAN, DONALD R., and PLOTZ, RICHARD D. Cervical scleroderma: A case of soft tissue dystocia, 891 (Comm. in brief)
 BERG, CYNTHIA (see STEIN ET AL.), 333
 BERGER, MAX (see BELLINA ET AL.), 934
 BERGER, TRISH (see SUELDO ET AL.), 528
 BERGMAN, ARIEH, and BHATIA, NARENDER N. Uroflowmetry: Spontaneous versus instrumented, 788 (Comm. in brief)
 BERKOWITZ, ROSS S. (see AMIR ET AL.), 723
 BERMAN, MICHAEL L. (see RETTENMAIER ET AL.), 882
 BERSINGER, NIKLAUS A., and KLOPPER, ARNOLD. Serum concentration of pregnancy-associated plasma protein A in the first trimester of pregnancy, 780
 BHATIA, NARENDER N. (see BERGMAN and BHATIA), 788
 BHATNAGAR, R. K. (see FARLEY ET AL.), 485
 —(see FORD ET AL.), 480
 BLIDNER, ILSA N. (see ANDERSON ET AL.), 236
 BLOCK, BARRY S. B., LIGGINS, GRAHAM C., and CREASY, ROBERT K. Preterm delivery is not predicted by serial plasma estradiol or progesterone concentration measurements, 716
 —, PARER, JULIAN T., COURT, DENIS J., and LLANOS, ANIBAL J. Continuous measurement of oxygen consumption in fetal sheep, 406
 BOBO, RAYMOND A. (see WAITES ET AL.), 998
 BOND, BRIAN (see KJORSTAD and BOND), 297
 BORTEN, MAX, and FRIEDMAN, EMANUEL A. Postconceptional induction of menses with double prostaglandin $F_{2\alpha}$ impact, 1006 (Comm. in brief)
 —, DiLEO, LUCILLE A., and FRIEDMAN, EMANUEL A. Low-dose prostaglandin E_2 analogue for cervical dilatation prior to pregnancy termination, 561
 BOURGEOIS, F. JOHN, THIAGARAJAH, SIVA, and HARBERT, GUY M., JR. The significance of fetal heart rate decelerations during non-stress testing, 213
 —(see THIAGARAJAH ET AL.), 1
 BOYCE, JOHN (see SILLMAN ET AL.), 300
 BRAME, ROBERT G. (see MATTOX ET AL.), 132
 BRAUN, LUNDY (see REID ET AL.), 189
 BROOKINGS, ENEIDA S. (see WAITES ET AL.), 998
 BROUSSARD, PAULA M. (see EGLINTON ET AL.), 97
 BRUSH, M. G., WATSON, S. J., HORROBIN, D. F., and MANKU, M. S. Abnormal essential fatty acid levels in plasma of women with premenstrual syndrome, 363
 BUCHHAGEN, DOROTHY (see SILLMAN ET AL.), 300
 BUCKALEW, VARDAMAN M., JR., (see GUDSON, BUCKALEW, and HENNESSY), 83
 BUESCHING, WILLIAM J., III (see BUMP ET AL.), 917
 BUMP, RICHARD C., ZUSPAN, FREDERICK P., BUESCHING, WILLIAM J., III, AYERS, LEONA W., and STEPHENS, THOMAS J. The prevalence, six-month persistence, and predictive values of laboratory indicators of bacterial vaginosis (nonspecific vaginitis) in asymptomatic women, 917 (Clinical opinion)
 BURSTEIN, PAUL (see VENUTO, BURSTEIN, and SCHNEIDER), 431
 BURTON, P. J. (see SYKES ET AL.), 847
 BUTLER, SANDRA L. (see HANKINS ET AL.), 100
 BUTTERS, LUCY (see RUBIN ET AL.), 389
 BYRICK, R. J. (see CUPRYN, KENNEDY, and BYRICK), 327

*September 1, 1-114; September 15, 115-224; October 1, 225-332; October 15, 333-442; November 1, part 1, 443-572; part 2, 573-688; November 15, 689-800; December 1, 801-904; December 15, 905-1036.

C

- CAHILL, LINDA (see NAGEL ET AL.), 76
 CALLEN, PETER W. (see HOLZGREVE ET AL.), 805
 CAMARGO, MAURICIO (see NAGEL ET AL.), 76
 CARITIS, STEVE N., TOIG, GARY, HEDDINGER, LYNN A., and ASHMEAD, GRAHAM. A double-blind study comparing ritodrine and terbutaline in the treatment of preterm labor, 7
 CARO, J. (see MITCHELL ET AL.), 217
 CARPENTER, R. J. (see CLAMAN, CARPENTER, and REITER), 889
 —(see PERONE, CARPENTER, and ROBERTSON), 801
 CARR, BRUCE R., and SIMPSON, EVAN R. Cholesterol synthesis by human fetal hepatocytes: Effects of lipoproteins, 551
 —(see PARKER ET AL.), 263, 754
 CARRILLO, ARTURO (see YAMBAO ET AL.), 426
 CASEY, M. L. (see PARKER ET AL.), 754
 CASSELL, GAIL H. (see WAITES ET AL.), 998
 CASSLÉN, B., and NILSSON, B. Human uterine fluid, examined in undiluted samples for osmolality and the concentrations of inorganic ions, albumin, glucose, and urea, 877
 CASTILLO, MARIA (see SEITCHIK ET AL.), 225
 CATALANO, PATRICK M. (see CLAPP ET AL.), 843
 CATES, WILLARD, JR. (see GRIMES, SCHULZ, and CATES), 689
 CAULDE, MICHAEL R. (see THIAGARAJAH ET AL.), 1
 CAVALIERI, RALPH L., and WOODLING, SONJA. Purification of lamellar bodies from human amniotic fluid, 409
 CERVENKA, JAROSLAV (see NAGEL ET AL.), 76
 CHALLIS, J. R. G. (see MITCHELL ET AL.), 217
 CHAMBERLAIN, P. F., MANNING, F. A., MORRISON, I., HARMAN, C. R., and LANCE, I. R. Ultrasound evaluation of amniotic fluid volume. I. The relationship of marginal and decreased amniotic fluid volumes to perinatal outcome, 245
 —, —, —, and —. Ultrasound evaluation of amniotic fluid volume. II. The relationship of increased amniotic fluid volume to perinatal outcome, 250
 CHAMPION, CHERYLE B. (see KOETSAWANG ET AL.), 931
 CHANDRA, PRASANTA (see AHRAH ET AL.), 323
 CHANG, FRANK E. (see FRIEDMAN ET AL.), 436
 CHATTERJEE, MOLLY, SAMA, JAHR, SCHMIDT, RINA, and DOWLING, PATRICIA K. Diagnosis of trisomy 21 by chorionic villus biopsy, (Comm. in brief) 319
 CHAWLA, HARBAJAN S. (see AHRAH ET AL.), 323
 CHAVIS, CLAUDE (see SULTAN ET AL.), 956
 CHIK, LAWRENCE (see ROSEN and CHIK), 775
 —(see FERRONI ET AL.), 270
 CHOLST, INA N., WARDLAW, SHARON L., NEWMAN, CONNIE B., and FRANTZ, ANDREW G. Prolactin response to breast stimulation in lactating women is not mediated by endogenous opioids, 558
 CHOO, Y. C. (see WONG, CHOO, and MA), 924
 CHUACHINGGO, JOYCE (see YAMBAO ET AL.), 426
 CLAIR, KEVIN M. (see ZAUNER ET AL.), 714
 CLAIR, WILLIAM J. (see ZAUNER ET AL.), 714
 CLAMAN, PAUL, CARPENTER, R. J., and REITER, ALEX. Uterine rupture with the use of vaginal prostaglandin E₂ for induction of labor, 889 (Comm. in brief)
 CLAPP, JAMES F., III, McLAUGHLIN, MARGARET K., GELLIS, JANICE, HEMPHILL, CALEB, and CATALANO, PATRICK M. Regional distribution of cerebral blood flow in experimental intrauterine growth retardation, 843
 CLARK, DONALD (see RUBIN ET AL.), 389
 CLARK, LORRAINE (see MINKOFF ET AL.), 965
 CLARK, STEVEN L. (see RODRIGUEZ ET AL.), 433
 CLARKE-PEARSON, DANIEL L. (see SMITH, CLARKE-PEARSON, and CREASMAN), 927
 —(see SOPER ET AL.), 342, 437
 CLEMONS, GISELA K. (see SUSA ET AL.), 415
 CLOUD, GRETCHEN A. (see MAZUR and CLOUD), 354
 CLYMAN, RONALD I. (see MURAI ET AL.), 758
 COLARDYN, FRANCIS (see VANDEKERCKHOVE ET AL.), 320
 COLEMAN, SIDNEY A. (see DUNN ET AL.), 861
 COLTON, ROBERT, PEREZ, GUIDO O., and FISHMAN, LAWRENCE M. Primary aldosteronism in pregnancy, 892 (Comm. in brief)
 CONWAY, DAVID I., PRENDIVILLE, WALTER J., MORRIS, AUDREY, SPILLER, DAVID C. E., and STIRRAT, GORDON M. Management of spontaneous rupture of the membranes in the absence of labor in primigravid women at term, 947
 COTTON, DAVID B. (see GONIK and COTTON), 99
 COULAM, CAROLYN B., GRAHAM, MARK L., II, and SPELSBERG, THOMAS C. Androgen insensitivity syndrome: Gonadal androgen receptor activity, 531
 —(see GRAHAM ET AL.), 534
 COURT, DENIS J. (see BLOCK ET AL.), 406
 COUSINS, LARRY, DATTEL, BONNIE J., HOLLINGSWORTH, DOROTHY R., and ZETTNER, ALFRED. Glycosylated hemoglobin as a screening test for carbohydrate intolerance in pregnancy, 455
 COUSTAN, DONALD R., and IMARAH, JOSEPH. Prophylactic insulin treatment of gestational diabetes reduces the incidence of macrosomia, operative delivery, and birth trauma, 836
 —(see BELLUCCI ET AL.), 891
 COWCHOCK, SUSAN, DEHORATIUS, RALPH J., WAPNER, RONALD J., and JACKSON, LAIRD G. Subclinical autoimmune disease and unexplained abortion, 367
 COX, KAY (see STRICKLAND ET AL.), 952
 CRANE, JAMES P., and KOPTA, MAZIE M. Genetic amniocentesis: Impact of placental position upon the risk of pregnancy loss, 813
 CREASMAN, WILLIAM T. (see SMITH, CLARKE-PEARSON, and CREASMAN), 927
 —(see SOPER ET AL.), 342, 437
 CREASY, ROBERT K. (see KATZ and CREASY), 497
 —(see BLOCK, LIGGINS, and CREASY), 716
 CROCKER, DIANE W. (see DUNN ET AL.), 861
 CROMBLEHOLME, WILLIAM (see MINKOFF ET AL.), 965
 CROSS, J. (see MITCHELL ET AL.), 217
 CRUM, CHRISTOPHER P. (see REID ET AL.), 189
 CULLEN, MARK (see ROMERO ET AL.), 259
 CUMMINGS, MARINELLA (see MINKOFF ET AL.), 965
 CUNNINGHAM, F. GARY (see HANKINS ET AL.), 100, 506
 —(see LEVENO ET AL.), 465
 CUPRYN, J. P., KENNEDY, A., and BYRICK, R. J. Malignant hyperthermia in pregnancy, 327 (Comm. in brief)
 CURRY, CYNTHIA J. R. (see HOLZGREVE ET AL.), 805
- D
- DACUS, JOHN V., and SPINNATO, JOSEPH A. Severe erythroblastosis fetalis secondary to anti-Kp^b sensitization, 888 (Comm. in brief)
 DAHROUGE, DONNA (see FRIEDMAN ET AL.), 941
 DANIELSON, T. S. (see KAUNITZ ET AL.), 826
 DATTEL, BONNIE J. (see COUSINS ET AL.), 455
 DAVIES, ELEANOR (see WRIGHT, DAVIES, and RIOPELLE), 704
 DAVIS, RICHARD O. (see WAITES ET AL.), 998
 DAWOOD, M. YUSOFF (see KHAN-DAWOOD and DAWOOD), 450, 501
 DAWSON, JEFFREY R. (see KUTTEH ET AL.), 65
 DEDO, HERBERT H. (see ANDERSON ET AL.), 432
 DEER, DAVID A. (see TREFORD ET AL.), 288
 DEHORATIUS, RALPH J. (see COWCHOCK ET AL.), 367
 DELBARGE, WILLY (see VANDEKERCKHOVE ET AL.), 320
 DEPALMA, RALPH T. (see LEVENO ET AL.), 465
 DEPP, O. RICHARD (see SOCOL ET AL.), 228
 —(see SILVER ET AL.), 15
 DESCOMPS, BERNARD (see SULTAN ET AL.), 956
 DETTER, JAMES C. (see STEIN ET AL.), 333
 DEVILLIER, CLAUDE (see SULTAN ET AL.), 956
 DEVORE, GREGORY R., SIASSI, BIJAN, and PLATT, LAWRENCE D. Fetal echocardiography. IV. M-mode assessment of ventricular size and contractility during the second and third trimesters of pregnancy in the normal fetus, 981
 —(see KOVACS and DEVORE), 784
 DIAKOU MAKIS, EVANGELOS, VIEUX, ULRIK, and SEIFE, BURTON. Sonographic demonstration of thecoma: Report of two cases, 787 (Comm. in brief)
 DICKER, RICHARD C. (see LEE ET AL.), 283
 DiLEO, LUCILLE A. (see BORTEN, DiLEO, and FRIEDMAN), 561
 DiSAIA, PHILIP J. (see RETTENMAIER ET AL.), 882
 DOELLGAST, GEORGE J. (see KUTTEH ET AL.), 65
 DOMBROSKE, RAYMOND A. (see MERRILL, DOMBROSKE, and MacKENNA), 786
 DOMENECH, MERCEDES (see SUSA ET AL.), 415
 DOOLEY, SHARON L. (see SILVER ET AL.), 15
 —(see SOCOL ET AL.), 228
 DOWLING, PATRICIA (see CHATTERJEE ET AL.), 319
 DRUZIN, MAURICE L. (see MURATA ET AL.), 40
 DUCSAY, CHARLES A. (see WALSH, DUCSAY, and NOVY), 745
 DUNN, JOHN E., JR., CROCKER, DIANE W., RUBE, IRMA F., ERICKSON, CYRUS C., and COLEMAN, SIDNEY A. Cervical cancer occurrence in Memphis and Shelby County, Tennessee, during 25 years of its cervical cytology screening program, 861
- E
- EASLEY, W. K. (see STAGE, HUMENIUK, and EASLEY), 169
 EDELMAN, DAVID A., MCINTYRE, SUSAN L., and HARPER, JAMES. A comparative trial of the Today contraceptive sponge and diaphragm, 869

- EDELSTONE, DANIEL I., PAULONE, MARY E., and HOLZMAN, IAN R. Hepatic oxygenation during arterial hypoxemia in neonatal lambs, 513
—(see FUMIA, EDELSTONE, and HOLZMAN), 274
EDGCOMB, JOHN (see FELDMAN ET AL.), 573
EGLINTON, GARY S., PAUL, RICHARD H., BROUSSARD, PAULA M., WALLA, CATHERINE A., and PLATT, LAWRENCE D. Antepartum fetal heart rate testing. XI. Stimulation with orange juice, 97 (Comm. in brief)
EL BADRY, ADEL, FIGUEROA, J. P., POORE, E. R., SUNDERJI, S., LEVINE, S., MITCHELL, M. D., and NATHANIELSZ, P. W. Effect of fetal intravascular 4-aminoantipyrine infusions on myometrial activity (contractures) at 125 to 143 days' gestation in the pregnant sheep, 474
EMBERGER, JEAN-MARIE (see SULTAN ET AL.), 956
ENOCHSSON, ERIK (see HANSON ET AL.), 817
ERICKSON, CYRUS C. (see DUNN ET AL.), 861
ERVIN, GORE (see ROSS ET AL.), 421
- F
- FARATIAN, B., GASPAR, A., O'BRIEN, P. M. S., JOHNSON, I. R., FILSHIE, G. M., and PRESCOTT, P. Premenstrual syndrome: Weight, abdominal swelling, and perceived body image, 200
FARLEY, D. B., FORD, S. P., REYNOLDS, L. P., BHATNAGAR, R. K., and VAN OORDEN, D. E. Quantitation of α_1 -adrenergic receptors in porcine uterine and mesenteric arteries, 485
—(see FORD ET AL.), 480
FAULK, W. PAGE (see WELLS ET AL.), 973
FELDMAN, DOROTHY, ROMNEY, SEYMOUR L., EDGCOMB, JOHN, and VALENTINE, THOMAS. Ultrastructure of normal, metaplastic, and abnormal human uterine cervix: Use of montages to study the topographical relationship of epithelial cells, 573
FELDMAN, JOSEPH (see MINKOFF ET AL.), 965
FERGUSON, J. E., II, HENSLEIGH, P. A., and GILL, P. Effects of betamethasone on white blood cells in patients with premature rupture of the membranes and preterm labor, 439 (Comm. in brief)
FERRONI, KAREN M., GROSS, THOMAS L., SOKOL, ROBERT J., and CHIK, LAWRENCE. What affects fetal pulmonary maturation during diabetic pregnancy, 270
FICK, ANA CORREA (see BELLINA ET AL.), 934
FIELDS, CAROL D. (see ZAUNER ET AL.), 712
FIGUEROA, J. P. (see EL BADRY ET AL.), 474
FILES, JOE C. (see MARTIN, MORRISON, and FILES), 86
FILLY, ROY A. (see HOLZGREVE ET AL.), 805
FILSHIE, G. M. (see FARATIAN ET AL.), 200
FINEGAN, JO-ANNE K., QUARRINGTON, BRUCE J., HUGHES, HELEN E., RUDD, NOREEN L., STEVENS, LINDA J., and WEKSEBERG, ROSANNA. Midtrimester amniocentesis: Obstetric outcome and neonatal neurobehavioral status, 989
FISHER, DELBERT A. (see ROSS ET AL.), 421
FISHMAN, LAWRENCE M. (see COLTON, PEREZ, and FISHMAN), 892
FORD, S. P., REYNOLDS, L. P., FARLEY, D. B., BHATNAGAR, R. K., and VAN ORDEN, D. E. Interaction of ovarian steroids and periaxial α_1 -adrenergic receptors in altering uterine blood flow during the estrous cycle of gilts, 480
—(see FARLEY ET AL.), 485
FRANTI, CHARLES E. (see TREFLORD ET AL.), 288
FRANTZ, ANDREW G. (see CHOLST ET AL.), 558
FRIED, P. A., WATKINSON, B., and WILLAN, A. Marijuana use during pregnancy and decreased length of gestation, 23
FRIEDMAN, CHAD I., SCHMIDT, GRANT E., CHANG, FRANK E., and KIM, MOON H. Severe ovarian hyperstimulation following follicular aspiration, 436 (Comm. in brief)
FRIEDMAN, EMANUEL A., SACHTLEBEN-MURRAY, MARLENE R., DAH-ROUGE, DONNA, and NEFF, RAYMOND K. Long-term effects of labor and delivery on offspring: A matched-pair analysis, 941
—(see BORTEN and FRIEDMAN), 1006
—(see BORTEN, DiLEO, and FRIEDMAN), 561
FRIEDMAN, J. M., and SANTOS-RAMOS, RIGOBERTO. Natural history of X-linked aqueductal stenosis in the second and third trimesters of pregnancy, 104 (Comm. in brief)
—(see HARROD ET AL.), 38
FRIEDRICH, EDUARD G., JR., and MACLAREN, NOEL K. Genetic aspects of vulvarlichen sclerosis, 161
FRIGOLETTO, FREDRIC D. (see HORNSTEIN ET AL.), 1002
FU, PAUL (see ROSS ET AL.), 421
FU, YAO SHI (see REID ET AL.), 189
FUCHS, ANNA-RIITTA, FUCHS, FRITZ, HUSSLEIN, PETER, and SOLOFF, MELVYN S. Oxytocin receptors in the human uterus during pregnancy and parturition, 734

- , RASMUSSEN, ANNE B., REHNSTRÖM, JAANA, and TOTH, MIKLOS. Prostaglandin $F_{2\alpha}$ oxytocin, and uterine activation in hypertonic saline-induced abortions, 27
FUCHS, FRITZ (see FUCHS ET AL.), 734
FUMIA, FRED D., EDELSTONE, DANIEL I., and HOLZMAN, IAN R. Blood flow and oxygen delivery to fetal organs as functions of fetal hematocrit, 274
FYSH, W. J. (see RODECK ET AL.), 769

G

- GALL, STANLEY A. (see KUTTEH ET AL.), 65
GALLUP, DONALD G. Modifications of celiotomy techniques to decrease morbidity in obese gynecologic patients, 171
—(see WOLCOTT and GALLUP), 695
GAMBRELL, R. DON, JR. Proposal to decrease the risk and improve the prognosis of breast cancer, 119
GAMSU, H. R. (see RODECK ET AL.), 769
GANT, NORMAN F. (see PARKER ET AL.), 263
GASPAR, A. (see FARATIAN ET AL.), 200
GELLIS, JANICE (see CLAPP ET AL.), 843
GERBIE, MELVIN V. (see AROF, GERBIE, and SMELTZER), 865
GILL, P. (see FERGUSON, HENSLEIGH, and GILL), 439
GIRTANNER, ROBERT E. (see AVERETTE ET AL.), 179
GIVEN, FRED T., JR. (see BAKRI and GIVEN), 184
GLUCKMAN, P. D. (see LOWE ET AL.), 524
GOEBELSMANN, UWE (see HOFFMAN ET AL.), 492
GOLBUS, MITCHELL S. (see ANDERSON ET AL.), 432
—(see HOLZGREVE ET AL.), 805
GOLDKRAND, JOHN W. (see ZUIDEMA, GOLDKRAND, and WORK), 783
GOLDSTEIN, DONALD P. (see AMIR ET AL.), 723
GONIK, BERNARD, and COTTON, DAVID B. Peripartum colloid osmotic pressure changes: Influence of intravenous hydration, 99 (Comm. in brief)
GOODLIN, R. C., and KUBITZ, R. L. Uterine strangulation of a premature infant, 435 (Comm. in brief)
GRAHAM, JAMES M. (see SIBAI, GRAHAM, and McCUBBIN), 728
GRAHAM, MARK L., II, RAZEL, ANTHONY J., SPELSBERG, THOMAS C., and COULAM, CAROLYN B. Evidence for an androgen receptor in human testis, 534
—(see COULAM, GRAHAM, and SPELSBERG), 531
GRANNUM, PETER (see ROMERO ET AL.), 259
GREISS, FRANK C., JR. Equestrian dyspareunia, 168
GRIMES, DAVID A. Epidemiology of gestational trophoblastic disease, 309
—, SCHULZ, KENNETH F., and CATES, WILLARD, JR. Prophylactic antibiotics for curettage abortion, 689 (Clinical opinion)
—(see KAUNITZ ET AL.), 826
GROENENDIJK, R., TRIMBOS, J. B. M. J., and WALLENBURG, H. C. S. Hemodynamic measurements in preeclampsia: Preliminary observations, 232
GROSS, THOMAS L. (see FERRONI ET AL.), 270
GROSSMAN, HANNAH G. (see SIBAI ET AL.), 831
GROSSMAN, ROBERT A. (see SIBAI ET AL.), 831
GRUNEBaum, AMOS N. (see MINKOFF ET AL.), 965
GRUPPUSO, PHILIP A. (see SUSA ET AL.), 415
GURPIDE, ERLIO (see HOLINKA and GURPIDE), 359
GUSDON, JOHN P., JR., BUCK, LEW, VARDAMAN, JR., and HENNESSY, JOHN F. A digoxin-like immunoreactive substance in preeclampsia, 83 (Current investigation)
GUYDA, HARVEY (see TULANDI ET AL.), 709

H

- HAAPAKOSKI, JAASON (see ARO ET AL.), 433
HAASE, HELEN R. (see HOFFMAN ET AL.), 492
HALL, FREDERICK K. (see THIBEAULT ET AL.), 393
HALL, ROBERT T. (see THIBEAULT ET AL.), 393
HAMMOND, CHARLES B. (see HOLMAN, TYREY, and HAMMOND), 151
HANKINS, GARY D. V., CUNNINGHAM, F. GARY, LUBY, JAMES P., BUTLER, SANDRA L., STROUD, JANE, and ROARK, MICKI. Asymptomatic genital excretion of herpes simplex virus during early labor, 100 (Comm. in brief)
—, WENDEL, GEORGE D., JR., CUNNINGHAM, F. GARY, and LEVENO, KENNETH J. Longitudinal evaluation of hemodynamic changes in eclampsia, 506
—(see PARKER ET AL.), 263
HANSEN, PEDER KERN, THOMSEN, STEN GROVE, SECHER, NILES JORGEN, and WEBER, TOM. Transcutaneous carbon dioxide measurements in the fetus during labor, 47

- HANSON, ULF, PERSSON, BENGT, ENOCHSSON, ERIK, LENNERHAGEN, PER, LINDGREN, FREDRIK, LUNDSTRÖM, VIVECA, LUNELL, NILS-ÖLOF, NILSSON, BO A., NILSSON, LENNART, STANGENBERG, MAGNUS, THALME, BERTIL, TILLINGER, KARL-GUNNAR, and ÖFVERHOLM, ULRIKA. Self-monitoring of blood glucose by diabetic women during the third trimester of pregnancy, 817
- HARBERT, GUY M., JR. (see BOURGEOIS, THIAGARAJAH, and HARBERT), 213
- (see THIAGARAJAH ET AL.), 1
- HARDER, ELMER (see BARNES, HARDER, and TOOT), 998
- HARMAN, C. R. Maternal furosemide may not provoke urine production in the compromised fetus, 322 (Comm. in brief)
- (see CHAMBERLAIN ET AL.), 245, 250
- HARPER, JAMES (see EDELMAN, MCINTYRE, and HARPER), 869
- HARROD, M. J. E., FRIEDMAN, J. M., SANTOS-RAMOS, R., RUTLEDGE, J., and WEINBERG, A. Etiologic heterogeneity of fetal hydrocephalus diagnosed by ultrasound, 38
- HATJIS, CHRISTOS G., NELSON, LEWIS H., MEIS, PAUL J., and SWAIN, MELISSA. Addition of magnesium sulfate improves effectiveness of ritodrine in preventing premature delivery, 142
- HEDDINGER, LYNN A. (see CARITIS ET AL.), 7
- HEINONEN, OLLI P. (see ARO ET AL.), 433
- HEMPHILL, CALEB (see CLAPP ET AL.), 843
- HENNESSY, JOHN F. (see GUSDON, BUCKALEW, and HENNESSY), 83
- HENSLEIGH, P. A. (see FERGUSON, HENSLEIGH, and GILL), 439
- HERSCHMAN, BARRY R. (see REID ET AL.), 189
- HESSER, JOHN W., MURATA, YUJI, and SWALWELL, CHRIS I. Exstrophy of cloaca with omphalocele: Two cases, 1004 (Comm. in brief)
- HESSERT, TIMOTHY R. (see YOUNG ET AL.), 52
- HINSHAW, WANDA (see SOPER ET AL.), 342
- HOBBS, JOHN C. (see ROMERO ET AL.), 259
- HODGEN, GARY D. (see SCHENKEN ET AL.), 349
- HODSON, CHARLES A. (see MATTOX ET AL.), 132
- HOFFMAN, DAVID I., ABBOD, THERESE K., HAASE, HELEN R., HUNG, TRAN T., and GOEBELSMANN, UWE. Plasma β -endorphin concentrations prior to and during pregnancy, in labor, and after delivery, 492
- HOLINKA, CHRISTIAN F., and GURPIDE, ERLIO. Dimine oxidase activity in human decidua and endometrium, 359
- HOLLINGSWORTH, DOROTHY R. (see COUSINS ET AL.), 455
- HOLMAN, JAMES F., TYREY, E. LEE, and HAMMOND, CHARLES B. A contemporary approach to suspected ectopic pregnancy with use of quantitative and qualitative assays for the β -subunit of human chorionic gonadotropin and sonography, 151
- HOLROYDE, JANE (see MIODOVNIK ET AL.), 372
- HOLZGREVE, WOLFGANG, CURRY, CYNTHIA J. R., GOLBUS, MITCHELL S., CALLEN, PETER W., FILLY, ROY A., and SMITH, J. CHARLES. Investigation of nonimmune hydrops fetalis, 805
- HOLZMAN, IAN R. (see EDELSTONE, PAULONE, and HOLZMAN), 513
- (see FUMIA, EDELSTONE, and HOLZMAN), 274
- HORGER, EDGAR O., III, and MOODY, LUCIA O. Use of indigo carmine for twin amniocentesis and its effect on bilirubin analysis, 858
- (see STUBBS, LAZARCHICK, and HORGER), 885
- HORNSTEIN, MARK D., NILOFF, JONATHAN M., SNYDER, PHILIP F., and FRIGOLETTO, FREDRIC D. Placental percreta associated with a second-trimester pregnancy termination, 1002 (Comm. in brief)
- HORROBIN, D. F. (see BRUSH ET AL.), 363
- HOSENPUD, J. D. (see VEILLE, HOSENPUD, and MORTON), 443
- Hsi, BAE-LI (see WELLS ET AL.), 973
- HUGHES, HELEN E. (see FINEGAN ET AL.), 989
- HUMENIUK, J. M. (see STAGE, HUMENIUK, and EASLEY), 169
- HUNG, TRAN T. (see HOFFMAN ET AL.), 492
- HUSSLEIN, PETER (see FUCHS ET AL.), 734
- I
- IAMS, JAY D., and BARROWS, HOLLY. Management of preterm prematurely ruptured membranes: A retrospective comparison of observation versus use of steroids and timed delivery, 977
- IKENOUE, TSUYOMU (see MURATA ET AL.), 40
- IKONEN, E. (see PEKONEN ET AL.), 893
- IMARAH, JOSEPH (see COUSTAN and IMARAH), 836
- INGRAM, JAMES M. (see WILLIAMS, INGRAM, and WELDEN), 166
- INNIS, SHEILA M. Altered effect of 3% dietary cholestyramine on plasma lipids and biliary bile acid output in the pregnant rat, 742
- J
- JACKSON, JEFF D. (see BELLINA ET AL.), 934
- JACKSON, LAIRD G. (see COWCHOCK ET AL.), 367
- JANSEN, C. A. M. (see LOWE ET AL.), 524
- JANSZOS, KATHERINE M., MACPHERSON, TREVOR A., and MAZER, JULIUS. *Escherichia coli* gas production in a stillborn fetus, 1001 (Comm. in brief)
- JEAN, ROGER (see SULTAN ET AL.), 956
- JEANTY, PHILIPPE (see ROMERO ET AL.), 259
- JOHNSON, I. R. (see FARATIAN ET AL.), 200
- JOHNSON, P. (see SYKES ET AL.), 847
- JONES, JUDITH A. (see STEIN ET AL.), 333
- K
- KAJII, TADASH, KURASHIGE, HIDEKI, OHAMA, KOSO, and UCHINO, FUMIYA. XY and XX complete moles: Clinical and morphologic correlations, 57
- TEN KATE-BOOIJ, MARIANNE J., and WALLENBURG, HENK C. S. Conservative treatment of postpartum hemorrhage in a second-trimester cervical pregnancy, 103 (Comm. in brief)
- KATZ, MICHAEL, and CREASY, ROBERT K. Mammary blood flow regulation in the nursing rabbit, 497
- KAUNITZ, ANDREW M., SPENCE, CRAIG, DANIELSON, T. S., ROCHAT, ROGER W., and GRIMES, DAVID A. Perinatal and material mortality in a religious group avoiding obstetric care, 826
- KEMP, J. R. (see RODECK ET AL.), 769
- KENNEDY, A. (see CUPPYRYN, KENNEDY, and BYRICK), 327
- KHAN-DAWOOD, FIRYAL S., and DAWOOD, M. YUSOFF. Estrogen and progesterone receptor and hormone levels in human myometrium and placenta in term pregnancy, 501
- and —. Implantation of the rabbit blastocyst: Sequential changes in estradiol and progesterone and their receptors, 450
- KHODR, G. S. (see SILER-KHODR, KHODR, and VALENZUELA), 376
- KIM, MOON H. (see FRIEDMAN ET AL.), 436
- KINCH, ROBERT A. (see TULANDI ET AL.), 709
- KING, RICHARD (see NAGEL ET AL.), 76
- KISNER, HAROLD J. (see ALGER, KISNER, and NAGEY), 380
- KITTERMAN, JOSEPH A. (see MURAI ET AL.), 758
- KJØRSTAD, KJELL E., and BOND, BRIAN. Stage IB adenocarcinoma of the cervix. Metastatic potential and patterns of dissemination, 297
- KLEIN, VICTOR R., REPKE, JOHN T., MARQUETTE, GERALD P., and NIEBYL, JENNIFER R. The Bland-White-Garland syndrome in pregnancy, 106 (Comm. in brief)
- KLETZKY, O. A. (see SHOUPPE and KLETZKY), 460
- (see SUELDO ET AL.), 528
- KLOPPER, ARNOLD (see BERSINGER and KLOPPER), 780
- KNOWLES, HARVEY C. (see MIODOVNIK ET AL.), 372
- KNUPPEL, ROBERT A., SHAH, DINESH M., RATTAN, PAWAN K., O'BRIEN, WILLIAM F., and LERNER, ALEXANDER. Rhesus isoimmunization in twin gestation, 136
- KOETSAWANG, SUPORN, SRISUPANIT, SUWANE, APIMAS, SUPANEE J., and CHAMPION, CHERYL B. A comparative study of topical anesthesia for laparoscopic sterilization with the use of the tubal ring, 931
- KOFTA, MAZIE M. (see CRANE and KOFTA), 813
- KOVACS, BRUCE W., and DeVORE, GREGORY R. Management of acute and subacute puerperal uterine inversion with terbutaline sulfate, 784 (Comm. in brief)
- KUBITZ, R. L. (see GOODLIN and KUBITZ), 435
- KURASHIGE, HIDEKI (see KAJII ET AL.), 57
- KUTTEH, WILLIAM H., GALL, STANLEY A., DOELLGAST, GEORGE J., ALLITTO, BERNICE A., and DAWSON, JEFFREY R. Quantitation of immunoglobulins in the effusions of human ovarian epithelial neoplasia, 65
- L
- LAFFEY, PATRICIA (see AHAM ET AL.), 323
- LAL, SAMARTHJI (see TULANDI ET AL.), 709
- LAMBERG, B.-A. (see PEKONEN ET AL.), 893
- LANGE, I. R. (see CHAMBERLAIN ET AL.), 245, 250
- LANKERANI, MOHAMMAD (see SELIM, RAZI, and LANKERANI), 790
- LANKS, KARL W. (see SILLMAN ET AL.), 300
- LAVIN, JUSTIN P. (see MIODOVNIK ET AL.), 372
- LAZARCHICK, JOHN (see STUBBS, LAZARCHICK, and HORGER), 885
- LEAKE, ROSEMARY D. (see ROSS ET AL.), 421
- LEE, CHU-CHING H. (see MURAI ET AL.), 758
- LEE, NANCY C., DICKER, RICHARD C., RUBIN, GEORGE L., and ORY, HOWARD W. Confirmation of the preoperative diagnoses for hysterectomy, 283
- LENNERHAGEN, PER (see HANSON ET AL.), 817
- LERNER, ALEXANDER (see KNUPPEL ET AL.), 136

- LEVENO, KENNETH J., QUIRK, J. GERALD, CUNNINGHAM, F. GARY, NELSON, SHERYL D., SANTOS-AMOS, RIGOBERTO, TOOFANIAN, ALI, and DePALMA, RALPH T. Prolonged pregnancy. I. Observations concerning the causes of fetal distress, 465
—(see HANKINS ET AL.), 506
—(see PARKER ET AL.), 263
LEVINE, S. (see EL BADRY ET AL.), 474
LICHTINGER, MOISES (see AVERETTE ET AL.), 179
LIGGINS, GRAHAM C. (see BLOCK, LIGGINS, and CREASY), 716
LINDGREN, FREDRIK (see HANSON ET AL.), 817
LIVENGOOD, CHARLES H., III, ADDISON, W. ALLEN, and VOELLER, BRUCE. Effect of a topical contraceptive on endocervical culture for *Neisseria gonorrhoeae*, 319 (Comm. in brief)
LLANOS, ANIBAL J. (see BLOCK ET AL.), 406
LLOYD, TOM (see LORENZ ET AL.), 519
LOBO, ROGERIO A. (see SHOUBE and LOBO), 566
LOGRILLO, VITO M. (see ZDEB, THERIAULT, and LOGRILLO), 205
LORENZ, ROBERT P., PICCHIO, LUCIANO P., WEISZ, JUDITH, and LLOYD, TOM. The relationship between reproductive performance and blood pressure in the spontaneously hypertensive rat, 519
LOW, ROBERT A. L. (see RUBIN ET AL.), 389
LOWE, K. C., JANSEN, C. A. M., GLUCKMAN, P. D., and NATHANIELSZ, P. W. Comparison of changes in ovine plasma chorionic somatomammotropin concentrations in the fetus and mother before spontaneous vaginal delivery at term and adrenocorticotropin-induced premature delivery, 524
LUBY, JAMES P. (see HANKINS ET AL.), 100
LUNDSTRÖM, VIVECA (see HANSON ET AL.), 817
LUNELL, NILS-OLOF (see HANSON ET AL.), 817

M

- MA, H. K. (see WONG, CHOO, and MA), 924
McCARTY, KENNETH S., JR. (see SOPER ET AL.), 342, 437
McCARTY, KENNETH S., SR. (see SOPER ET AL.), 342, 437
McCLEMENT, SHARON (see ANDERSON ET AL.), 236
McCORMACK, WILLIAM M. (see MINKOFF ET AL.), 965
McCUBBIN, JACK H. (see SIBAI, GRAHAM, and McCUBBIN), 728
—(see STRICKLAND ET AL.), 952
MacDONALD, PAUL C. (see PARKER ET AL.), 263, 754
—(see STRICKLAND ET AL.), 952
McGREGOR, JAMES, OTT, ALLEN, and VILLARD, MARK. An epidemic of "childbed fever," 385
McINTYRE, SUSAN L. (see EDELMAN, McINTYRE, and HARPER), 869
MacKENNA, JARLATH M. (see MERRILL, DOMBROSKI, and MacKENNA), 786
—(see MATTOX ET AL.), 132
MacLAREN, NOEL K. (see FRIEDRICH and MacLAREN), 161
McLAUGHLIN, MARGARET K. (see CLAPP ET AL.), 843
McNAUGHTON, SCOTT (see BELLINA ET AL.), 934
MACPHERSON, TREVOR A. (see JASNOZ, MACPHERSON, and MAZER), 1001
MÄKÄRÄINEN, LEO, and YLIKORKALA, OLAVI. Amniotic fluid 6-keto-prostaglandin $F_{1\alpha}$ and thromboxane B_2 during labor, 765
MÄKINEN, T. (see PEKONEN ET AL.), 893
MANKU, M. S. (see BRUSH ET AL.), 363
MANNING, F. A. (see CHAMBERLAIN ET AL.), 245, 250
MARKESTAD, TROND, ULSTEIN, MAGNAR, STRANDJORD, ROALD E., AKSNES, LAGE, and AARSKOG, DAGFINN. Anticonvulsant drug therapy in human pregnancy. Effects on serum concentrations of vitamin D metabolites in maternal and cord blood, 254
MARQUETTE, GERALD P. (see KLEIN ET AL.), 106
MARRS, RICHARD P. (see SUELDO ET AL.), 528
MARTIN, C. B., JR., NIJHUIS, J. G., and WEIJER, A. A. Correction of fetal supraventricular tachycardia by compression of the umbilical cord: Report of a case, 324 (Comm. in brief)
—(see MURATA ET AL.), 40
MARTIN, JAMES N., JR., MORRISON, JOHN C., and FILES, JOE C. Autoimmune thrombocytopenic purpura: Current concepts and recommended practices, 86 (Current developments)
MASCOLA, LAURENCE, PELOSI, ROCCO, and ALEXANDER, CHARLES E. Inadequate treatment of syphilis in pregnancy, 945
MATTOX, HUITT E., III, MacKENNA, JARLATH, HODSON, CHARLES A., WIMMER, JOHN E., and BRAME, ROBERT G. Comparison of pharyngeal aspirate and amniotic fluid surfactant composition, 132
MAURAY, FRANCOISE E. (see MURAI ET AL.), 758
MAZELLA, LORRAINE (see TULANDI ET AL.), 709
MAZER, JULIUS (see JASNOZ, MACPHERSON, and MAZER), 1001
MAZUR, MICHAEL T., and CLOUD, GRETCHEN A. The koilocyte and cervical intraepithelial neoplasia: Time-trend analysis of a recent decade, 354

- MEANDZIJA, P. (see BELLINA ET AL.), 934
MEIS, PAUL J. (see HATJIS ET AL.), 142
MERRILL, RICHARD H., DOMBROSKI, RAYMOND A., and MacKENNA, JARLATH M. Primary hyperaldosteronism during pregnancy, 786 (Comm. in brief)
MILLER, R. DAVID (see RETTENMAIER ET AL.), 882
MINKOFF, HOWARD, GRUNBAUM, AMOS N., SCHWARZ, RICHARD H., FELDMAN, JOSEPH, CUMMINGS, MARINELLA, CROMBLEHOLME, WILLIAM, CLARK, LORRAINE, PRINGLE, GEORGE, and McCORMACK, WILLIAM M. Risk factors for prematurity and premature rupture of membranes: A prospective study of the vaginal flora in pregnancy, 965
MIODOVNIK, MENACHEM, LAVIN, JUSTIN P., KNOWLES, HARVEY C., HOLROYDE, JANE, and STYS, STANLEY J. Spontaneous abortion among insulin-dependent diabetic women, 372
MITCHELL, B. F., CARO, J., CROSS, J., and CHALLIS, J. R. G. Adrenocorticotrophic activity of an extract from sheep placental tissue at term, 217
MITCHELL, M. D. (see EL BADRY ET AL.), 474
—(see STRICKLAND ET AL.), 952
MOLLOY, PAULA M. (see SYKES ET AL.), 847
MOODY, LUCIA O. (see HORGER and MOODY), 858
MORRIS, AUDREY (see CONWAY ET AL.), 947
MORRISON, I. (see CHAMBERLAIN ET AL.), 245
—(see CHAMBERLAIN ET AL.), 250
MORRISON, JOHN C. (see MARTIN, MORRISON, and FILES), 86
MORTON, M. J. (see VEILLE, HOSENFUD, and MORTON), 443
MURAI, DANIEL T., CLYMAN, RONALD I., MAURAY, FRANCOISE E., LEE, CHU-CHING H., and KITTERMAN, JOSEPH A. Meclizolamide and prostaglandin E_2 affect breathing movements independently of glucose concentrations in fetal sheep, 758
MURATA, YUJI, MARTIN, CHESTER B., JR., IKENOUE, TSUYOMU, SOCOL, MICHAEL L., and DRUZIN, MAURICE L. Intrauterine growth of chronically instrumented rhesus monkey fetuses, 40
—(see HESSER, MURATA, and SWALWELL), 1004

N

- NAGEL, THEODORE, CAMARGO, MAURICIO, TAGATZ, GEORGE, OKAGAKI, TAKASHI, CERVENKA, JAROSLAV, CAHILL, LINDA, WACHTEL, STEPHEN S., KING, RICHARD, and TWIGGS, LEO B. Gonadal tumors in patients with gonadal dysgenesis and sex chromosomal rings and fragments, 76
NAGEY, DAVID A. (see ALGER, KISNER, and NAGEY), 380
NAKAMURA, TAKAFUMI (see YAMASHITA, NAKAMURA, and SHIMIZU), 896
NATHANIELSZ, P. W. (see EL BADRY ET AL.), 474
—(see LOWE ET AL.), 524
NEFF, RAYMOND K. (see FRIEDMAN ET AL.), 941
NELSON, LEWIS H. (see HATJIS ET AL.), 142
NELSON, SHERYL D. (see LEVENO ET AL.), 465
NEWMAN, CONNIE B. (see CHOLST ET AL.), 558
NICASTRI, ANTHONY (see SILLMAN ET AL.), 300
NICOLAIDES, K. H. (see RODECK ET AL.), 769
NIEBYL, JENNIFER R. (see KLEIN ET AL.), 106
NIJHUIS, J. G. (see MARTIN, NIJHUIS, and WEIJER), 324
NILOFF, JONATHAN M. (see HORNSTEIN ET AL.), 1002
NILSSON, B. (see CASSEN and NILSSON), 877
NILSSON, BO A. (see HANSON ET AL.), 817
NILSSON, LENNART (see HANSON ET AL.), 817
NOENS, LUC (see VANDEKERCKHOVE ET AL.), 320
NOTELOVITZ, MORRIS (see ZAUNER ET AL.), 712
NOVY, MILES J. (see WALSH, DUCSAY, and NOVY), 745

O

- O'BRIEN, P. M. S. (see FARATAN ET AL.), 200
O'BRIEN, TIMOTHY J. (see SUELDO ET AL.), 528
O'BRIEN, WILLIAM F. (see KNUFFEL ET AL.), 136
ÖFVERHOLM, ULRIKA (see HANSON ET AL.), 817
O'GRADY, JOHN PATRICK (see RICHARDSON, O'GRADY, and OLSEN), 400
OHAMA, KOSO (see KAJII ET AL.), 57
OKAGAKI, TAKASHI (see NAGEL ET AL.), 76
OLSEN, GEORGE D. (see RICHARDSON, O'GRADY, and OLSEN), 400
ORDORICA, EDWARD (see TREFORD ET AL.), 288
ORY, HOWARD W. (see LEE ET AL.), 283
OSATHANONDH, RAPIN (see AMIR ET AL.), 723
OSSER, STELLAN, and PERSSON, KENNETH. Postabortal pelvic infection associated with Chlamydia trachomatis and the influence of humoral immunity, 699
ÖSTERLUND, K. (see PEKONEN ET AL.), 893
OTT, ALLEN (see McGREGOR, OTT, and VILLARD), 385

P

- PARET, JULIAN T. (see BLOCK ET AL.), 406
 PARKER, C. R., JR., CARR, B. R., WINKEL, C. A., CASEY, M. L., and MACDONALD, P. C. Umbilical cord plasma concentrations of deoxycorticosterone sulfate in anencephalic fetuses, 754
 —, HANKINS, GARY D. V., CARR, BRUCE R., LEVENO, KENNETH J., GANT, NORMAN F., and MACDONALD, PAUL C. The effect of hypertension in pregnant women on fetal adrenal function and fetal plasma lipoprotein-cholesterol metabolism, 263
 PAUL, RICHARD H. (see EGLINTON ET AL.), 97
 PAULONE, MARY E. (see EDELSTONE, PAULONE, and HOLZMAN), 513
 PEKONEN, G., TERAMO, K., MÄKINEN, T., IKONEN, E., ÖSTERLUND, K., and LAMBERG, B.-A. Prenatal diagnosis and treatment of fetal thyrotoxicosis, 893 (Comm. in brief)
 PELOSI, ROCCO (see MASCOLA, PELOSI, and ALEXANDER), 945
 PEREZ, GUIDO O. (see COLTON, PEREZ, and FISHMAN), 892
 PERONE, NICOLA, CARPENTER, ROBERT J., and ROBERTSON, JOHN A. Legal liability in the use of ultrasound by office-based obstetricians, 801 (Clinical opinion)
 PERSSON, BENGT (see HANSON ET AL.), 817
 PERSSON, KENNETH (see OSSER and PERSSON), 699
 PHELAN, JEFFREY P. (see RODRIGUEZ ET AL.), 433
 PICCHIO, LUCIANO P. (see LORENZ ET AL.), 519
 PLATT, LAWRENCE D. (see DEVORE, SIASSI, and PLATT), 981
 —(see EGLINTON ET AL.), 97
 PLEDGER, DEREK (see RUBIN ET AL.), 389
 PLOTZ, RICHARD D. (see BELLUCCI ET AL.), 891
 POORE, E. R. (see EL BADRY ET AL.), 474
 PRENDIVILLE, WALTER J. (see CONWAY ET AL.), 947
 PRESCOTT, P. (see FARATAN ET AL.), 200
 PRICHARD, GARY A. (see YOUNG ET AL.), 52
 PRINGLE, GEORGE (see MINKOFF ET AL.), 965

Q

- QUARRINGTON, BRUCE J. (see FINEGAN ET AL.), 989
 QUIRK, J. GERALD (see LEVENO ET AL.), 465

R

- RAJABI, MOHAMMAD, and WOESSNER, J. FREDERICK, JR. Rise in serum levels of PZ-peptidase, an enzyme involved in collagen breakdown, in human pregnancy and labor, 821
 RASMUSSEN, ANNE B. (see FUCHS ET AL.), 27
 RATTAN, PAWAN K. (see KNUPEL ET AL.), 136
 RAZEL, ANTHONY J. (see GRAHAM ET AL.), 534
 RAZI, AHMED (see SELIM, RAZI, and LANKERANI), 790
 REECE, E. ALBERT (see ROMERO ET AL.), 259
 REED, SUZETTE (see SUPRAPTO and REED), 1000
 REHNSTRÖM, JAANE (see FUCHS ET AL.), 27
 REID, JOHN L. (see RUBIN ET AL.), 389
 REID, RICHARD, FU, YAO SHI, HERSCHMAN, BARRY R., CRUM, CHRISTOPHER P., BRAUN, LUNDY, SHAH, KEERTI V., AGRONOW, SAMUEL J., and STANHOPE, C. ROBERT. Genital warts and cervical cancer. IV. The relationship between aneuploid and polyploid cervical lesions, 189
 REITER, ALEX (see CLAMAN, CARPENTER, and REITER), 889
 REPKER, JOHN T. (see KLEIN ET AL.), 106
 RETTENMAIER, MARK A., MILLER, R. DAVID, BERMAN, MICHAEL L., and DiSAIA, PHILIP J. Pharmacokinetic study of moxalactam in patients undergoing gynecologic operations, 882
 —(see YORK and RETTENMAIER), 101
 REYNOLDS, L. P. (see FARLEY ET AL.), 485
 —(see FORD ET AL.), 480
 RICHARDS, BRUCE C. Persistent trophoblast following conservative operation for ectopic pregnancy, 100 (Comm. in brief)
 RICHARDSON, BRYAN S., O'GRADY, JOHN PATRICK, and OLSEN, GEORGE D. Fetal breathing movements and the response to carbon dioxide in patients on methadone maintenance, 400
 RIOPELLE, MARY ANN (see WRIGHT, DAVIES, and RIOPELLE), 704
 ROARK, MICKI (see HANKINS ET AL.), 100
 ROBERTSON, JOHN A. (see PERONE, CARPENTER, and ROBERTSON), 801
 ROBINSON, ALAN G. (see SEITCHIK ET AL.), 225
 ROCHAT, ROGER W. (see KAUNITZ ET AL.), 826
 RODECK, C. H., NICOLAIDES, K. H., WARSOF, S. L., FISH, W. J., GAMSU, H. R., and KEMP, J. R. The management of severe rhesus isoimmunization by fetoscopic intravascular transfusions, 769
 RODRIGUEZ, M. HELLEN, WANG, ROBERTA, CLARK, STEVEN L., and PHELAN, JEFFREY P. Previous cesarean birth: Management considerations in the patients with acute puerperal uterine inversion, 433 (Comm. in brief)
 ROLFE, P. (see SYKES ET AL.), 847

- ROMEM, Y., and ARTAL, R. C-reactive protein as a predictor for chorioamnionitis in cases of premature rupture of the membranes, 546
 ROMERO, ROBERTO, CULLEN, MARK, JEANTY, PHILIPPE, GRANNUM, PETER, REECE, E. ALBERT, VENUS, INGEBORG, and HOBBS, JOHN C. The diagnosis of congenital renal anomalies with ultrasound. II. Infantile polycystic kidney disease, 259
 ROMNEY, SEYMOUR L. (see FELDMAN ET AL.), 573
 ROSEN, MORTIMER G., and CHIK, LAWRENCE. The association between cesarean birth and outcome in vertex presentation: Relative importance of birth weight, Dubowitz scores, and delivery route, 775
 ROSENBERG, SANFORD M. Amniotic fluid prolactin levels in tubal gestation: Support for the unique role of decidua, 102 (Comm. in brief)
 ROSENTHAL, JULIAN (see SILLMAN ET AL.), 300
 ROSS, MICHAEL G., ERVIN, GORE, LEAKE, ROSEMARY D., FU, PAUL, and FISHER, DELBERT A. Fetal lung liquid regulation by neuropeptides, 421
 ROTMENSCH, SIEGFRIED (see BAR-MEIR and ROTMENSCH), 1003
 RUBE, IRMA F. (see DUNN ET AL.), 861
 RUBIN, GEORGE L. (see LEE ET AL.), 283
 RUBIN, PETER C., BUTTERS, LUCY, CLARK, DONALD, SUMNER, DAVID, BELFIELD, ALAN, PLEDGER, DEREK, LOW, ROBERT A. L., and REID, JOHN L. Obstetric aspects of the use in pregnancy-associated hypertension of the β -adrenoceptor antagonist atenolol, 389
 RUDD, NOREEN L. (see FINEGAN ET AL.), 989
 RUTLEDGE, J. (see HARROD ET AL.), 38

S

- SABBAGHA, RUDY F. (see SILVER ET AL.), 15
 SACHTLEBEN-MURRAY, MARLENE R. (see FRIEDMAN ET AL.), 941
 SALINAS, MARIA E., and ARIAS, FERNANDO. Effects of ethanol on alcohol dehydrogenase and microsomal ethanol oxidative system activities in fetal mice, 541
 SAMA, JAHIR (see CHATTERJEE ET AL.), 319
 SANFILIPPO, JOSEPH S., and WITTLIFF, JAMES L. Steroid hormone receptors in adrenal cortical carcinoma, 326 (Comm. in brief)
 SANTOS-RAMOS, RIGOBERTO (see FRIEDMAN and SANTOS-RAMOS), 104
 —(see HARROD ET AL.), 38
 —(see LEVENO ET AL.), 465
 SAXEN, LAURI (see ARO ET AL.), 433
 SCHENKEN, ROBERT S., ASCH, RICARDO H., WILLIAMS, ROBERT F., and HODGEN, GARY D. Etiology of infertility in monkeys with endometriosis: Measurement of peritoneal fluid prostaglandins, 349
 SCHILLT, VLADIMIR (see BELLINA ET AL.), 934
 SCHMIDT, GRANT E. (see FRIEDMAN ET AL.), 436
 SCHMIDT, RINA (see CHATTERJEE ET AL.), 319
 SCHNEIDER, ROGER (see VENUTO, BURSTEIN, and SCHNEIDER), 431
 SCHULZ, KENNETH F. (see GRIMES, SCHULZ, and CATES), 689
 SCHWARTZ, DANIEL (see YAMBAO ET AL.), 426
 SCHWARTZ, ROBERT (see SUSA ET AL.), 415
 SCHWARZ, RICHARD H. (see MINKOFF ET AL.), 965
 SECHER, NIELS JORGEN (see HANSEN ET AL.), 47
 SEDLIS, ALEXANDER (see SILLMAN ET AL.), 300
 SEHGAL, PRABHAT (see SUSA ET AL.), 415
 SEIFE, BURTON (see DIAKOUAKIS, VIEUX, and SEIFE), 787
 SEITCHIK, JOSEPH, AMICO, JANET, ROBINSON, ALAN G., and CASTILLO, MARIA. Oxytocin augmentation of dysfunctional labor. IV. Oxytocin pharmacokinetics, 225
 SELIM, MOSTAFA A., RAZI, AHMED, and LANKERANI, MOHAMMAD. Squamous cell carcinoma arising from ovarian benign cystic teratoma, 790 (Comm. in brief)
 SEVIN, BERND-UWE (see AVERETTE ET AL.), 179
 SHAH, DINESH M. (see KNUPEL ET AL.), 136
 SHAH, KEERTI V. (see REID ET AL.), 189
 SHEEHAN, MICHAEL B. (see THIBEAULT ET AL.), 393
 SHERMAN, SANFORD (see ANDERSON ET AL.), 432
 SHIMIZU, TETSUYA (see YAMASHITA, NAKAMURA, and SHIMIZU), 896
 —and KLETZKY, O. A. Priming with gonadotropin-releasing hormone restores gonadotropin secretion during first but not second trimester of pregnancy, 460
 SHOUPPE, DONNA, and LOBO, ROGERIO A. Evidence for altered catecholamine metabolism in polycystic ovary syndrome, 566
 SIASSI, BIJAN (see DEVORE, SIASSI, and PLATT), 981
 SIBAI, BAH A. M., GRAHAM, JAMES M., and McCUBBIN, JACK H. A comparison of intravenous and intramuscular magnesium sulfate regimens in preeclampsia, 728

- , GROSSMAN, ROBERT A., and GROSSMAN, HANNAH G. Effects of diuretics on plasma volume in pregnancies with long-term hypertension, 831
- SILER-KHODR, T. M., KHODR, G. S., and VALENZUELA, G. Immunoreactive gonadotropin-releasing hormone level in maternal circulation throughout pregnancy, 376
- SILLMAN, FREDERICK, STANEK, ALBERT, SEDLIS, ALEXANDER, ROSENTHAL, JULIAN, LANKS, KARL W., BUCHHAGEN, DOROTHY, NICASTRI, ANTHONY, and BOYCE, JOHN. The relationship between human papillomavirus and lower genital intraepithelial neoplasia in immunosuppressed women, 300
- SILVER, RICHARD, DEPP, RICHARD, SABBAGHA, RUDY F., DOOLEY, SHARON L., SOCOL, MICHAEL L., and TAMURA, RALPH K. Placenta previa: Aggressive expectant management, 15
- SIMPSON, EVAN R. (see CARR and SIMPSON), 551
- SIMPSON, GARY F. (see ANDERSON ET AL.), 432
- SINCLAIR, JOHN C. (see ANDERSON ET AL.), 236
- SMELTZER, JAMES (see AROF, GERBIE, and SMELTZER), 865
- SMITH, ELLEN BLAIR, CLARKE-PEARSON, DANIEL L., and CREASMAN, WILLIAM T. A VP16-213- and cisplatin-containing regimen for treatment of refractory ovarian germ cell malignancies, 927
- SMITH, HUGH E. (see WILLIAMSON, SOWELL, and SMITH), 158
- SMITH, J. CHARLES (see HOLZGREVE ET AL.), 805
- SNYDER, PHILIP F. (see HORNSTEIN ET AL.), 1002
- SOCOL, MICHAEL L., DOOLEY, SHARON L., TAMURA, RALPH K., and DEPP, O. RICHARD. Perinatal outcome following prior delivery in the late second or early third trimester, 228
- (see MURATA ET AL.), 40
- (see SILVER ET AL.), 15
- SOKOL, ROBERT J. (see FERRONI ET AL.), 270
- SOLOFF, MELVYN S. (see FUCHS ET AL.), 734
- SOPER, JOHN T., MCCARTY, KENNETH S., JR., CREASMAN, WILLIAM T., CLARKE-PEARSON, DANIEL L., and MCCARTY, KENNETH S., Sr. Induction of cytoplasmic progesterone receptor in human endometrial carcinoma transplanted into nude mice, 437 (Comm. in brief)
- , HINSHAW, WANDA, CREASMAN, WILLIAM T., MCCARTY, KENNETH S., SR., and CLARKE-PEARSON, DANIEL L. Cytoplasmic estrogen and progesterone receptor content of uterine sarcoma, 342
- SOSNOWSKI, J. RICHARD "The pursuit of excellence": Have we apprehended and comprehended it, 115
- SOWELL, GEORGE A. (see WILLIAMSON, SOWELL, and SMITH), 158
- SPELLER, DAVID C. E. (see CONWAY ET AL.), 947
- SPELSBERG, THOMAS C. (see COULAM, GRAHAM, and SPELSBERG), 531
- (see GRAHAM ET AL.), 534
- SPELCE, CRAIG (see KAUNITZ ET AL.), 826
- SPINNATO, JOSEPH A. (see DACUS and SPINNATO), 888
- SRISUPANDIT, SUWANE (see KOETSUWANG ET AL.), 931
- STAGE, ANSON H., HUMENIUK, J. M., and EASLEY, W. K. Bullous pemphigoid of the vulva: A case report, 169
- STANEK, ALBERT (see SILLMAN ET AL.), 300
- STANGENBERG, MAGNUS (see HANSON ET AL.), 817
- STANHOPE, C. ROBERT (see REID ET AL.), 189
- STEIN, JANET, BERG, CYNTHIA, JONES, JUDITH A., and DETTER, JAMES C. A screening protocol for a prenatal population at risk for inherited hemoglobin disorders: Results of its application to a group of Southeast Asians and blacks, 333 (Clinical opinion)
- STEPHENS, THOMAS J. (see BUMP ET AL.), 917
- STEVENS, LINDA J. (see FINEGAN ET AL.), 989
- STIRRAT, GORDON M. (see CONWAY ET AL.), 947
- STRANDJORD, ROALD E. (see MARKESTAD ET AL.), 254
- STRICKLAND, DANIEL M., COX, KAY, MCCUBBIN, JACK H., WHALLEY, PEGGY J., MACDONALD, PAUL C., and MITCHELL, MURRAY D. Plasma prostaglandins during the intravenous infusion of angiotensin II in pregnant women, 952
- STROUD, JANE (see HANKINS ET AL.), 100
- STUBBS, THOMAS M., LAZARCHICK, JOHN, and HORGER, EDGAR O., III. Plasma fibronectin levels in preeclampsia: A possible biochemical marker for vascular endothelial damage, 885 (Current investigation)
- STYS, STANLEY J. (see MIODOVNIK ET AL.), 372
- SUELDO, CARLOS, MARRS, RICHARD P., BERGER, TRISH, KLETZKY, OSCAR A., and O'BRIEN, TIMOTHY J. Correlation of semen transferrin concentration and sperm fertilizing capacity, 528
- SULTAN, CHARLES, EMBERGER, JEAN-MARIE, DEVILLIER, CLAUDE, CHAVIS, CLAUDE, TERRAZA, ANNIE, DESCOMPS, BERNARD, and JEAN, ROGER. Specific 5 α -dihydrotestosterone receptor and 5 α -reductase activity in human amniotic fluid cells, 956
- SUMNER, DAVID (see RUBIN ET AL.), 389
- SUNDERJI, S. (see EL BADRY ET AL.), 474
- SUPRAPTO, KARNO, and REED, SUZETTE. Naproxen sodium for pain relief in first-trimester abortion, 1000 (Comm. in brief)
- SUSA, JOHN B., GRUPPUSO, PHILIP A., WIDNESS, JOHN A., DOMENECH, MERCEDES, CLEMONS, GISELA K., SEHGAL, PRABHAT, and SCHWARTZ, ROBERT. Chronic hyperinsulinemia in the fetal rhesus monkey: Effects of physiologic hyperinsulinemia on fetal substrates, hormones, and hepatic enzymes, 415
- SUIDAN, JOSEPH S., and YOUNG, BRUCE K. Outcome of fetuses with lactic acidemia, 33
- SUNG, HUNG-CHAO, WU, PAO-CHEN, and YANG, HSIU-YU. Reevaluation of 5-fluorouracil as a single therapeutic agent for gestational trophoblastic neoplasms, 69
- SWAIN, MELISSA (see HATJIS ET AL.), 142
- SWALWELL, CHRIS I. (see HESSER, MURATA, and SWALWELL), 1004
- SYKES, G. S., MOLLOY, PAULA M., WOLLNER, J. C., BURTON, P. J., WOLTON, B., ROLFE, P., JOHNSON, P., and TURNBULL, A. C. Continuous, noninvasive measurement of fetal oxygen and carbon dioxide levels in labor by use of mass spectrometry, 847
- T
- TAGATZ, GEORGE (see NAGEL ET AL.), 76
- TAMURA, RALPH K. (see SILVER ET AL.), 15
- (see SOCOL ET AL.), 228
- TAWWATER, BARBARA (see YAMBAO ET AL.), 426
- TENG, NELSON N. H., and BALLON, SAMUEL C. Partial hydatidiform mole with diploid karyotype: Report of three cases, 961
- TERAMO, K. (see PEKONEN ET AL.), 893
- TERRAZA, ANNIE (see SULTAN ET AL.), 956
- THALME, BERTIL (see HANSON ET AL.), 817
- THERIAULT, GENE D. (see ZDER, THERIAULT, and LOGRILLO), 205
- THIAGARAJAH, SIVA, BOURGEOIS, F. JOHN, HARBERT, GUY M., JR., and CAUDLE, MICHAEL R. Thrombocytopenia in preeclampsia: Associated abnormalities and management principles, 1
- (see BOURGEOIS, THIAGARAJAH, and HARBERT), 213
- THIBEAULT, DONALD W., HALL, FREDERICK K., SHEEHAN, MICHAEL B., and HALL, ROBERT T. Postasphyxial lung disease in newborn infants with severe perinatal acidosis, 393
- THIERY, MICHEL (see VANDERKERCKHOVE ET AL.), 320
- THOMSEN, STEN GROVE (see HANSEN ET AL.), 47
- TILLINGER, KARL-GUNNAR (see HANSON ET AL.), 817
- TOAFF, MICHAEL E. (see AHRAH ET AL.), 323
- TOIG, GARY (see CARITIS ET AL.), 7
- TOOFANIAN, ALI (see LEVENO ET AL.), 465
- TOOT, PAUL J. (see BARNES, HARDER, and TOOT), 998
- TOTH, MIKLOS (see FUCHS ET AL.), 27
- TRELFORD, JOHN D., DEER, DAVID A., ORDORICA, EDWARD, FRANTI, CHARLES E., and TRELFOURDAUER, MARILYN. Ten-year prospective study in a management change of vulvar carcinoma, 288
- TRELFOURDAUER, MARILYN (see TRELFOUR ET AL.), 288
- TRIMBOS, J. B. M. J. (see GROENENDIJK, TRIMBOS, and WALLENBURG), 232
- TULANDI, TOGAS, KINCH, ROBERT A., GUYDA, HARVEY, MAZELLA, LORRAINE, and LAL, SAMARTHI. Effect of methyl dopa on menopausal flushes, skin temperature, and luteinizing hormone secretion, 709
- TURNBULL, A. C. (see SYKES ET AL.), 847
- TWIGGS, LEO B. (see NAGEL ET AL.), 76
- TYREY, E. LEE (see HOLMAN, TYREY, and HAMMOND), 151
- U
- UCHINO, FUMIYA (see KAJII ET AL.), 57
- ULSTEIN, MAGNAR (see MARKESTAD ET AL.), 254
- V
- VALENTINE, THOMAS (see FELDMAN ET AL.), 573
- VALENZUELA, G. (see SILER-KHODR, KHODR, and VALENZUELA), 376
- VAN ORDEN, D. E. (see FARLEY ET AL.), 485
- (see FORD ET AL.), 480
- VANDEKERCKHOVE, FRANK, NOENS, LUC, COLARDYN, FRANCIS, THIERY, MICHEL, and DELBARGE, WILLY. Thrombotic thrombocytopenic purpura mimicking toxemia of pregnancy, 320 (Comm. in brief)
- VEILLE, J. C., HOSENPRUD, J. D., and MORTON, M. J., with the technical assistance of WELCH, J. E. Cardiac size and function in pregnancy-induced hypertension, 443
- VENUS, INGEBORG (see ROMERO ET AL.), 259

- VENUTO, ROCCO, BURSTEIN, PAUL, and SCHNEIDER, ROGER. Pheochromocytoma: Antepartum diagnosis and management with tumor resection in the puerperium, 431 (Comm. in brief)
- VIEUX, ULRICH (see DIAKOUAKIS, VIEUX, and SEIFE), 787
- VILLARD, MARK (see MCGREGOR, OTT, and VILLARD), 385
- VOELLER, BRUCE (see LIVENGOD, ADDISON, and VOELLER), 319
- VOGEL, ROBERT B. (see ZAUNER ET AL.), 714
- VOROS, JANOS I. (see BELLINA ET AL.), 934
- W
- WACHTEL, STEPHEN S. (see NAGEL ET AL.), 76
- WAITES, KEN B., BOBO, RAYMOND A., DAVIS, RICHARD O., BROOKINGS, ENEIDA S., and CASSELL, GAIL H. Clinically silent polymicrobial amnionitis and intrauterine fetal death associated with a Cu-7 intrauterine contraceptive device, 998
- WALLA, CATHERINE A. (see EGLINTON ET AL.), 97
- WALLENBURG, H. C. S. (see GROENENDIJK, TRIMBOS, and WALLENBURG), 232
- (see TEN KATE-BOOIJ and WALLENBURG), 103
- WALSH, SCOTT W., DUCSAY, CHARLES A., and NOVY, MILES J. Circadian hormonal interactions among the mother, fetus, and amniotic fluid, 745
- WANG, ROBERTA (see RODRIGUEZ ET AL.), 433
- WAPNER, RONALD J. (see COWCHOCK ET AL.), 367
- WARDLAW, SHARON L. (see CHOLST ET AL.), 558
- WARSOFF, S. L. (see RODECK ET AL.), 769
- WATKINSON, B. (see FRIED, WATKINSON, and WILLAN), 23
- WATSON, S. J. (see BRUSH ET AL.), 363
- WEBER, TOM (see HANSEN ET AL.), 47
- WEIJER, A. A. (see MARTIN, NIJHUIS, and WEIJER), 324
- WEINBERG, A. (see HARROD ET AL.), 38
- WEISZ, JUDITH (see LORENZ ET AL.), 519
- WEKSBERG, ROSANNA (see FINEGAN ET AL.), 989
- WELCH, J. E. (see VEILLE, HOSENPUD, and MORTON), 443
- WELDEN, STEPHEN W. (see WILLIAMS, INGRAM, and WELDEN), 166
- WELLS, MICHAEL, HSI, BAE-LI, YEH, CHANG-JING G., and FAULK, W. PAGE. Spiral (uteroplacental) arteries of the human placental bed show the presence of amniotic basement membrane antigens, 973
- WENDEL, GEORGE D. (see HANKINS ET AL.), 506
- WHALLEY, PEGGY J. (see STRICKLAND ET AL.), 952
- WIDNESS, JOHN A. (see SUSA ET AL.), 415
- WILLAN, A. (see FRIED, WATKINSON, and WILLAN), 23
- WILLIAMS, J. KELL, INGRAM, JAMES M., and WELDEN, STEPHEN W. Management of noncongenital vaginal stenosis and distortion by the bicycle seat stool pressure technique, 166
- WILLIAMS, ROBERT F. (see SCHENKEN ET AL.), 394
- WILLIAMSON, H. OLIVER, SOWELL, GEORGE A., and SMITH, HUGH E. Spontaneous rupture of gravid uterus in a patient with diethylstilbestrol-type genital changes, 158

- WIMMER, JOHN E. (see MATTOX ET AL.), 132
- WINKEL, C. A. (see PARKER ET AL.), 754
- WITTLIFF, JAMES L. (see SANFILIPPO and WITTLIFF), 326
- WOESSNER, J. FREDERICK, JR. (see RAJABI and WOESSNER), 821
- WOLCOTT, HUGH D., and GALLUP, DONALD G. Wide local excision in the treatment of vulvar carcinoma in situ: A reappraisal, 695
- WOLLNER, J. C. (see SYKES ET AL.), 847
- WOLTON, B. (see SYKES ET AL.), 847
- WONG, L. C., CHOO, Y. C., and MA, H. K. Use of oral VP16-213 as primary chemotherapeutic agent in treatment of gestational trophoblastic disease, 924
- WOODLING, SONJA (see CAVALIERI and WOODLING), 409
- WORK, BRUCE A., JR. (see ZUIDEMA, GOLDKRAND, and WORK), 783
- WRIGHT, V. C., DAVIES, ELEANOR, and RIOPELLE, MARY ANN. Laser cylindrical excision to replace conization, 704
- WU, PAO-CHEN (see SUNG, WU, and YANG), 69

Y

- YAGEL, SUSAN K. (see YOUNG ET AL.), 52
- YAMASHITA, KOHJI, NAKAMURA, TAKAFUMI, and SHIMIZU, TETSUYA. Absence of major histocompatibility complex antigens in choriocarcinoma, 896 (Comm. in brief)
- YAMBAO, I. HELMA J., TAWWATER, BARBARA, CHUACHINGCO, JOYCE, CARRILLO, ARTURO, and SCHWARTZ, DANIEL. Effect of meconium on the detection of phosphatidylglycerol, 426
- YANG, HSI-YU (see SUNG, WU, and YANG), 69
- YEH, CHANG-JING G. (see WELLS ET AL.), 973
- YLIKORKALA, OLAVI (see MAKARAINEN and ULIKORKALA), 765
- YORK, ANITA C., and RETTENMAIER, MARK A. An unusual complication of delayed management in a case of fetal death, 101 (Comm. in brief)
- YOUNG, BRUCE K. (see SUIDAN and YOUNG), 33
- YOUNG, RICHARD S. K., HESSERT, TIMOTHY R., PRICHARD, GARY A., and YAGEL, SUSAN K. Naloxone exacerbates hypoxic-ischemic brain injury in the neonatal rat, 52

Z

- ZAUNER, CHRISTIAN W., NTELOVITZ, MORRIS, FIELDS, CAROL D., CLAIR, KEVIN M., CLAIR, WILLIAM J., and VOGEL, ROBERT B. Cardiorespiratory efficiency at submaximal work in young and middle-aged women, 712
- ZDEB, MICHAEL S., THERIAULT, GENE D., and LOGRILLO, VITO M. Frequency, spacing, and outcome of pregnancies subsequent to primary cesarean childbirth, 205
- ZETTNER, ALFRED (see COUSINS ET AL.), 455
- ZUIDEMA, LAURA J., GOLDKRAND, JOHN W., and WORK, BRUCE A., JR. Uterine contractility after rupture of the gravid uterus: A case report, 783 (Comm. in brief)
- ZUSPAN, FREDERICK P. (see BUMP ET AL.), 917

Subject index*

A

- Abdominal swelling, weight, and perceived body image: premenstrual syndrome (Faratian et al.), 200
- Abortion(s), curettage, prophylactic antibiotics for (Grimes, Schulz, and Cates), 689 (Clinical opinion)
- first-trimester, naproxen sodium for pain relief in (Suprpto and Reed), 1000 (Comm. in brief)
- hypertonic saline-induced, prostaglandin $F_{2\alpha}$, oxytocin, and uterine activation in (Fuchs et al.), 27
- spontaneous, among insulin-dependent diabetic women (Miodovnik et al.), 372
- unexplained, and subclinical autoimmune disease (Cowchock et al.), 367
- Acidemia, lactic, outcome of fetuses with (Suidan and Young), 33
- Acidosis, severe perinatal, postasphyxial lung disease in newborn infants with (Thibeault et al.), 393
- Adenocarcinoma, Stage IB, of cervix: metastatic potential and patterns of dissemination (Kjorstad and Bond), 297
- Adenomas, hepatocellular, successful pregnancy following partial hepatectomy for removal of (Barnes, Harder, and Toot), 998 (Comm. in brief)
- Adrenal cortical carcinoma, steroid hormone receptors in (Sanfilippo and Wittliff), 326 (Comm. in brief)
- function, fetal, and fetal plasma lipoprotein-cholesterol metabolism, effect of hypertension in pregnant women on (Parker et al.), 263
- Adrenergic (α_1 -) receptors, periarterial, and ovarian steroids, interaction of, in altering uterine blood flow during estrous cycle of gilts (Ford et al.), 480
- quantitation of, in porcine uterine and mesenteric arteries (Farley et al.), 485
- Adrenoceptor (β -) antagonist atenolol, obstetric aspects of use in pregnancy-associated hypertension of (Rubin et al.), 389
- Adrenocorticotrophic activity of extract from sheep placental tissue at term (Mitchell et al.), 217
- Adrenocorticotropin-induced premature delivery and spontaneous vaginal delivery at term, comparison of changes in ovine plasma chorionic somatomammotropin concentrations in fetus and mother before (Lowe et al.), 524
- Albumin, glucose, urea, and inorganic ions, concentrations of, and osmolality, human uterine fluid, examined in undiluted samples for (Casslén and Nilsson), 877
- Alcohol dehydrogenase and microsomal ethanol oxidative system activities, effects of ethanol on, in fetal mice (Salinas and Arias), 541
- Aldosteronism, primary, in pregnancy (Colton, Perez, and Fishman), 892 (Comm. in brief)
- Aminoantipyrine (4-) infusions, fetal intravascular, effect of, on myometrial activity (contractures) at 125 to 143 days' gestation in pregnant sheep (El Badry et al.), 474
- Amniocentesis, genetic: impact of placental position upon risk of pregnancy loss (Crane and Kopta), 813
- midtrimester: obstetric outcome and neonatal neurobehavioral status (Finegan et al.), 989
- twin, use of indigo carmine for, and its effect on bilirubin analysis (Horger and Moody), 858
- Amnionitis, clinically silent polymicrobial, and intrauterine fetal death associated with Cu-7 intrauterine contraceptive device (Waites et al.), 998 (Comm. in brief)
- Amniotic basement membrane antigens, spiral (uteroplacental) arteries of human placental bed show presence of (Wells et al.), 973
- fluid cells, human, specific 5 α -dihydrotestosterone receptor and 5 α -reductase activity in (Sultan et al.), 956
- α -fetoprotein, elevated, another cause of—fetal pharyngeal teratoma (Anderson et al.), 432 (Comm. in brief)
- human, purification of lamellar bodies from (Cavalieri and Woodling), 409
- 6-keto-prostaglandin $F_{1\alpha}$ and thromboxane B_2 during labor (Mäkräinen and Ylikorkala), 765
- mother, and fetus, circadian hormonal interactions among (Walsh, Ducsay, and Novy), 745

*September 1, 1-114; September 15, 115-224; October 1, 225-332; October 15, 333-442; November 1, part 1, 443-572; part 2, 573-688; November 15, 689-800; December 1, 801-904; December 15, 905-1036.

- Amniotic fluid—Cont'd
and pharyngeal aspirate surfactant composition, comparison of (Mattox et al.), 132
prolactin levels in tubal gestation: support for unique role of decidua (Rosenberg), 102 (Comm. in brief)
second-trimester, presence of meconium-like substance in (Alger, Kisner, and Nagey), 380
volume, ultrasound evaluation of. I. Relationship of marginal and decreased amniotic fluid volumes to perinatal outcome (Chamberlain et al.), 245
II. Relationship of increased amniotic fluid volume to perinatal outcome (Chamberlain et al.), 250
Analogue, low-dose prostaglandin E₂ for cervical dilatation prior to pregnancy termination (Borten, DiLeo, and Friedman), 561
Androgen insensitivity syndrome: gonadal androgen receptor activity (Coulam, Graham, and Spelsberg), 531
receptor in human testis, evidence for (Graham et al.), 534
Anencephalic fetuses, umbilical cord plasma concentrations of deoxycorticosterone sulfate in (Parker et al.), 754
Anesthesia, topical, for laparoscopic sterilization with use of tubal ring, comparative study of (Koetsawang et al.), 931
Aneuploid and polyploid cervical lesions, relationship between, VI. Genital warts and cervical cancer (Reid et al.), 189
Angiotensin II, plasma prostaglandins during intravenous infusion of, in pregnant women (Strickland et al.), 952
Anomalies, congenital renal, diagnosis of, with ultrasound. II. Infantile polycystic kidney disease (Romero et al.), 259
Antepartum fetal heart rate testing, XI. Stimulation with orange juice (Eglington et al.), 97 (Comm. in brief)
Antibiotics, prophylactic, for curettage abortion (Grimes, Schulz, and Cates), 689 (Clinical opinion)
Anticonvulsant drug therapy in human pregnancy: effects on serum concentrations of vitamin D metabolites in maternal and cord blood (Markstad et al.), 254
Antigens, amniotic basement membrane, spiral (uteroplacental) arteries of human placental bed show presence of (Wells et al.), 973
major histocompatibility complex, absence of, in choriocarcinoma (Yamashita, Nakamura, and Shimizu), 896 (Comm. in brief)
Aqueductal stenosis, X-linked, natural history of, in second and third trimesters of pregnancy (Friedman and Santos-Ramos), 104 (Comm. in brief)
Arterial hypoxemia, hepatic oxygenation during, in neonatal lambs (Edelstone, Paulone, and Holzman), 513
Arteries, porcine uterine and mesenteric, quantitation of α_1 -adrenergic receptors in (Farley et al.), 485
spiral (uteroplacental), of human placental bed show presence of amniotic basement membrane antigens (Wells et al.), 973
Ascites, patients with and without, radioactivity in blood and urine following intraperitoneal instillation of chromic phosphate in (Bakri and Given), 184
Aspirate, pharyngeal, and amniotic fluid surfactant composition, comparison of (Mattox et al.), 132
Aspiration, follicular, severe ovarian hyperstimulation following (Friedman et al.), 436 (Comm. in brief)
Atenolol, β -adrenoceptor antagonist, obstetric aspects of use in pregnancy-associated hypertension of (Rubin et al.), 389
Autoimmune disease, subclinical, and unexplained abortion (Cowchock et al.), 367
thrombocytopenic purpura: current concepts and recommended practices (Martin, Morrison, and Files), 86 (Current developments)

B

- Bacterial vaginosis (nonspecific vaginitis), prevalence, six-month persistence, and predictive values of laboratory indicators of, in asymptomatic women (Bump et al.), 917
Basement membrane antigens, amniotic, spiral (uteroplacental) arteries of human placental bed show presence of (Wells et al.), 973
Benign cystic teratoma, ovarian, squamous cell carcinoma arising from (Selim, Razi, and Lankarani), 790 (Comm. in brief)
Betamethasone, effects of, on white blood cells in patients with premature rupture of membranes and preterm labor (Ferguson, Hensleigh, and Gill), 439 (Comm. in brief)
Bicornuate uterus, successful outcome of twin gestation in both horns of (Ahram et al.), 323 (Comm. in brief)

C

- Bicycle seat stool pressure technique, management of noncongenital vaginal stenosis and distortion by (Williams, Ingram, and Welden), 166
Biliary bile acid output and plasma lipids, altered effect of 3% dietary cholestyramine on, in pregnant rat (Innis), 742
Bilirubin analysis, use of indigo carmine for twin amniocentesis and its effect on (Horger and Moody), 858
Biochemical marker, possible, for vascular endothelial damage: plasma fibronectin levels in preeclampsia (Stubbs, Lazarchick, and Horger), 885 (Current investigation)
Biopsy, chorionic villus, diagnosis of trisomy 21 by (Chatterjee et al.), 319 (Comm. in brief)
Birth, cesarean, and outcome, association between, in vertex presentation: relative importance of birth weight, Dubowitz scores, and delivery route (Rosen and Chik), 775
determinants of size at, in Canadian population (Anderson et al.), 236
previous cesarean: management considerations in patient with acute puerperal uterine inversion (Rodriguez et al.), 433 (Comm. in brief)
trauma, macrosomia, and operative delivery, prophylactic insulin treatment of gestational diabetes reduces incidence of (Coustan and Imarah), 836
weight, Dubowitz scores, and delivery route, relative importance of: association between cesarean birth and outcome in vertex presentation (Rosen and Chik), 775
Blacks and Southeast Asians, results of application to group of: screening protocol for prenatal population at risk for inherited hemoglobin disorders (Stein et al.), 333 (Clinical opinion)
Bland-White-Garland syndrome in pregnancy (Klein et al.), 106 (Comm. in brief)
Blastocyst, rabbit, implantation of: sequential changes in estradiol and progesterone and their receptors (Khan-Dawood and Dawood), 450
Blood cells, white, effects of betamethasone on, in patients with premature rupture of membranes and preterm labor (Ferguson, Hensleigh, and Gill), 439 (Comm. in brief)
flow, cerebral, regional distribution of, in experimental intrauterine growth retardation (Clapp et al.), 843
and oxygen delivery to fetal organs as functions of fetal hematocrit (Fumia, Edelstone, and Holzman), 274
regulation, mammary, in nursing rabbit (Katz and Creasy), 497
uterine, interaction of ovarian steroids and periaarterial α_1 -adrenergic receptors in altering, during estrous cycle of gilts (Ford et al.), 480
glucose, self-monitoring of, by diabetic women during third trimester of pregnancy (Hanson et al.), 817
maternal and cord, effects on serum concentrations of vitamin D metabolites in: anticonvulsant drug therapy in human pregnancy (Markestad et al.), 254
pressure and reproductive performance, relationship between, in spontaneously hypertensive rat (Lorenz et al.), 519
and urine, radioactivity in, following intraperitoneal instillation of chromic phosphate in patients with and without ascites (Bakri and Given), 184
Body image, perceived, weight, and abdominal swelling: premenstrual syndrome (Faratian et al.), 200
Books received, 113, 223, 331, 903, 1011
Brain injury, hypoxic-ischemic, in neonatal rat, naloxone exacerbates (Young et al.), 52
Breast cancer, proposal to decrease risk and improve prognosis of (Gambrell), 119
stimulation in lactating women, prolactin response to, is not mediated by endogenous opioids (Cholst et al.), 558
Breathing movements, fetal, and response to carbon dioxide in patients on methadone maintenance (Richardson, O'Grady, and Olsen), 400
meclofenamate and prostaglandin E₂ affect, independently of glucose concentrations in fetal sheep (Murai et al.), 758
Bullous pemphigoid of vulva: case report (Stage, Humeniuk, and Easley), 169

Cancer—Cont'd

- occurrence, cervical, in Memphis and Shelby County, Tennessee, during 25 years of its cervical cytology screening program (Dunn et al.), 861
- ovarian: diagnosis and management (Barber), 910 (Clinical opinion)
- Carbohydrate intolerance, glycosylated hemoglobin as screening test for, in pregnancy (Cousins et al.), 455
- Carbon dioxide lasers, electronically pulsed versus quasi-continuous wave, analysis of, in animal model (Bellina et al.), 934
- measurements, transcutaneous, in fetus during labor (Hansen et al.), 47
- and oxygen levels, fetal, in labor, continuous, noninvasive measurement of, by use of mass spectrometry (Sykes et al.), 847
- response to, and fetal breathing movements in patients on methadone maintenance (Richardson, O'Grady, and Olsen), 400
- Carcinoma, adrenal cortical, steroid hormone receptors in (Sanfilippo and Wittliff), 326 (Comm. in brief)
- human endometrial, transplanted into nude mice, induction of cytoplasmic progesterone receptor in (Soper et al.), 437 (Comm. in brief)
- squamous cell, arising from ovarian benign cystic teratoma (Selim, Razi, and Lankerani), 790 (Comm. in brief)
- vulvar, in situ, wide local excision in treatment of: reappraisal (Wolcott and Gallup), 695
- ten-year prospective study in management change of (Trelford et al.), 288
- Cardiac size and function in pregnancy-induced hypertension (Veille, Hosenpud, and Morton), 443
- Cardiorespiratory efficiency at submaximal work in young and middle-aged women (Zauner et al.), 712
- Catecholamine metabolism, altered, in polycystic ovary syndrome, evidence for (Shoupe and Lobo), 566
- Celiotomy techniques, modifications of, to decrease morbidity in obese gynecologic patients (Gallup), 171
- Cell(s) carcinoma, squamous, arising from ovarian benign cystic teratoma (Selim, Razi, and Lankerani), 790 (Comm. in brief)
- epithelial, use of montages to study topographical relationship of: ultrastructure of normal, metaplastic, and abnormal human uterine cervix (Feldman et al.), 573
- human amniotic fluid, specific 5 α -dihydrotestosterone receptor and 5 α -reductase activity in (Sultan et al.), 956
- malignancies, refractory ovarian germ, VP16-213- and cisplatin-containing regimen for treatment of (Smith, Clarke-Pearson, and Creasman), 927
- white blood, effects of betamethasone on, in patients with premature rupture of membranes and preterm labor (Ferguson, Hensleigh, and Gill), 439 (Comm. in brief)
- Cerebral blood flow, regional distribution of, in experimental intrauterine growth retardation (Clapp et al.), 843
- Cervical cancer and genital warts. VI. Relationship between aneuploid and polyploid cervical lesions (Reid et al.), 189
- occurrence in Memphis and Shelby County, Tennessee, during 25 years of its cervical cytology screening program (Dunn et al.), 861
- dilatation, low-dose prostaglandin E₂ analogue for, prior to pregnancy termination (Borten, DiLeo, and Friedman), 561
- intraepithelial neoplasia, cryosurgical treatment of: four-year experience (Arof, Gerbie, and Smeltzer), 865
- and koilocyte: time-trend analysis of recent decade (Mazur and Cloud), 354
- pregnancy, second-trimester, conservative treatment of postpartum hemorrhage in (ten Kate-Booiij and Wallenburg), 103 (Comm. in brief)
- scleroderma: case of soft tissue dystocia (Bellucci, Coustan, and Plotz), 891 (Comm. in brief)
- Cervix, normal, metaplastic, and abnormal human uterine, ultrastructure of: use of montages to study topographical relationship of epithelial cells (Feldman et al.), 573
- Stage IB adenocarcinoma of: metastatic potential and patterns of dissemination (Kjorstad and Bond), 297
- Cesarean birth and outcome, association between, in vertex presentation: relative importance of birth weight, Dubowitz scores, and delivery route (Rosen and Chik), 775
- previous: management considerations in patient with acute puerperal uterine inversion (Rodriguez et al.), 433 (Comm. in brief)
- childbirth, primary, frequency, spacing, and outcome of pregnancies subsequent to (Zdeb, Theriault, and Logrillo), 205

- Chemotherapeutic agent, primary, use of oral VP16-213 as, in treatment of gestational trophoblastic disease (Wong, Choo, and Ma), 924
- "Childbed fever," epidemic of (McGregor, Ott, and Villard), 385
- Childbirth, primary cesarean, frequency, spacing, and outcome of pregnancies subsequent to (Zdeb, Theriault, and Logrillo), 205
- Chlamydia trachomatis*, postabortal pelvic infection associated with, and influence of humoral immunity (Osser and Persson), 699
- Cholesterol-lipoprotein metabolism, fetal plasma, and fetal adrenal function, effect of hypertension in pregnant women on (Parker et al.), 263
- synthesis by human fetal hepatocytes: effect of lipoproteins (Carr and Simpson), 551
- Cholestyramine, 3% dietary, altered effect of, on plasma lipids and biliary bile acid output in pregnant rat (Innis), 742
- Chorioamnionitis, C-reactive protein as predictor for, in cases of premature rupture of membranes (Romem and Artal), 546
- Choriocarcinoma, absence of major histocompatibility complex antigens in (Yamashita, Nakamura, and Shimizu), 896 (Comm. in brief)
- Chorionic gonadotropin, human, β -subunit of, contemporary approach to suspected ectopic pregnancy with use of quantitative and qualitative assays for, and sonography (Holman, Tyrey, and Hammond), 151
- and thyroid function in patients with hydatidiform mole (Amir et al.), 723
- somatotropin concentrations, ovine plasma, comparison of changes in, in fetus and mother before spontaneous vaginal delivery at term and adrenocorticotropin-induced premature delivery (Lowe et al.), 524
- villus biopsy, diagnosis of trisomy 21 by (Chatterjee et al.), 319 (Comm. in brief)
- Chronic phosphate, intraperitoneal instillation of, radioactivity in blood and urine following, in patients with and without ascites (Bakri and Given), 184
- Chromosomal rings, sex, and fragments and gonadal dysgenesis, gonadal tumors in patients with (Nagel et al.), 76
- Circadian hormonal interactions among mother, fetus, and amniotic fluid (Walsh, Ducsay, and Novy), 745
- Circulation, maternal, immunoreactive gonadotropin-releasing hormone level in, throughout pregnancy (Siler-Khodr, Khodr, and Valenzuela), 376
- Cisplatin- and VP16-213-containing regimen for treatment of refractory ovarian germ cell malignancies (Smith, Clarke-Pearson, and Creasman), 927
- Clinical opinion, 333-341, 689-694, 801-804, 910-916
- Cloaca, extrophy of, with omphalocele: two cases (Hesser, Murata, and Swallow), 1004 (Comm. in brief)
- Collagen breakdown, enzyme involved in, PZ-peptidase, rise in serum levels of, in human pregnancy and labor (Rajabi and Woessner), 821
- Colloid osmotic pressure changes, peripartum: influence of intravenous hydration (Gonik et al.), 99 (Comm. in brief)
- Communications in brief, 97-107, 319-328, 431-441, 783-792, 888-897, 998-1007
- Conceptional (post-) induction of menses with double prostaglandin F_{2 α} impact (Borten and Friedman), 1006 (Comm. in brief)
- Congenital renal anomalies, diagnosis of, with ultrasound. II. Infantile polycystic kidney disease (Romero et al.), 259
- Conization, laser cylindrical excision to replace (Wright, Davies, and Riopelle), 704
- Consultants for American Journal of Obstetrics and Gynecology, 905
- Contraceptive device, Cu-7 intrauterine, clinically silent polymicrobial amnionitis and intrauterine fetal death associated with (Waite et al.), 998 (Comm. in brief)
- sponge, Today, and diaphragm, comparative trial of (Edelman, McIntyre, and Harper), 869
- topical, effect of, on endocervical culture for *Neisseria gonorrhoeae* (Livengood, Addison, and Voeller), 319 (Comm. in brief)
- Contractility and size, ventricular, M-mode assessment of, during second and third trimesters of pregnancy in normal fetus, IV. Fetal echocardiography (DeVore, Siassi, and Platt), 981
- uterine, after rupture of gravid uterus: case report (Zuidema, Goldkrand, and Work), 783 (Comm. in brief)
- Cord and maternal blood, effects on serum concentrations of vitamin D metabolites in: anticonvulsant drug therapy in human pregnancy (Markestad et al.), 254
- plasma concentrations, umbilical, of deoxycorticosterone sulfate in anencephalic fetuses (Parker et al.), 754

- Correspondence, 108-112, 329-330, 793-799, 898-902, 1008-1010
- Cortical carcinoma, adrenal, steroid hormone receptors in (Sanfilippo and Wittliff) 326 (Comm. in brief)
- Cryosurgical treatment of cervical intraepithelial neoplasia: four-year experience (Arof, Gerbie, and Smeltzer), 865
- Culture for *Neisseria gonorrhoeae*, endocervical, effect of topical contraceptive on (Livengood, Addison, and Voeller), 319 (Comm. in brief)
- Curettage abortion, prophylactic antibiotics for (Grimes, Schulz, and Cates), 689 (Clinical opinion)
- Current developments, 86-96, 309-318
investigation, 83-85, 780-782, 885-887
- Cu-7 intrauterine contraceptive device, clinically silent polymicrobial amnionitis and intrauterine fetal death associated with (Waites et al.), 998 (Comm. in brief)
- Cystic teratoma, ovarian benign, squamous cell carcinoma arising from (Selim, Razi, and Lankerani), 790 (Comm. in brief)
- Cytology screening program, its cervical, cervical cancer occurrence in Memphis and Shelby County, Tennessee, during 25 years of (Dunn et al.), 861
- Cytoplasmic estrogen and progesterone receptor content of uterine sarcomas (Soper et al.), 342
- progesterone receptor, induction of, in human endometrial carcinoma transplanted into nude mice (Soper et al.), 437 (Comm. in brief)
- ### D
- Death, fetal, unusual complication of delayed management in case of (York and Rettenmaier), 101 (Comm. in brief)
- intrauterine fetal, and clinically silent polymicrobial amnionitis associated with Cu-7 intrauterine contraceptive device (Waites et al.), 998 (Comm. in brief)
- Decelerations, fetal heart rate, significance of, during nonstress testing (Bourgeois, Thiagarajah, and Harbert), 213
- Decidua, human, and endometrium, diamine oxidase activity in (Holinka and Gurpide), 359
- support for unique role of: amniotic fluid prolactin levels in tubal gestation (Rosenberg), 102 (Comm. in brief)
- Delivery and labor, long-term effects of, on offspring: matched-pair analysis (Friedman et al.), 941
- operative, birth trauma, and macrosomia, prophylactic insulin treatment of gestational diabetes reduces incidence of (Coustan and Imarah), 836
- plasma β -endorphin concentrations after, prior to and during pregnancy, and in labor (Hoffman et al.), 492
- premature, addition of magnesium sulfate improves effectiveness of ritodrine in preventing (Hatjis et al.), 142
- preterm, is not predicted by serial plasma estradiol or progesterone concentration measurements (Block, Liggins, and Creasy), 716
- prior, perinatal outcome following, in late second or early third trimester (Socol et al.), 228
- route, birth weight, and Dubowitz scores, relative importance of: association between cesarean birth and outcome in vertex presentation (Rosen and Chik), 775
- spontaneous vaginal, at term and adrenocorticotropin-induced premature delivery, comparison of changes in ovine plasma chorionic somatomammotropin concentrations in fetus and mother before (Lowe et al.), 524
- timed, and steroids, use of, retrospective comparison of observation versus: management of preterm prematurely ruptured membranes (Iams and Barrows), 977
- Deoxycorticosterone sulfate, umbilical cord plasma concentrations of, in anencephalic fetuses (Parker et al.), 754
- Diabetes, gestational, prophylactic insulin treatment of, reduces incidence of macrosomia, operative delivery, and birth trauma (Coustan and Imarah), 836
- Diabetic pregnancy, what affects fetal pulmonary maturation during (Ferroni et al.), 270
- women, insulin-dependent, spontaneous abortion among (Miodovnik et al.), 372
- self-monitoring of blood glucose by, during third trimester of pregnancy (Hanson et al.), 817
- Diamine oxidase activity in human decidua and endometrium (Holinka and Gurpide), 359
- Diaphragm and Today contraceptive sponge, comparative trial of (Edelman, McIntyre, and Harper), 869
- Dietary cholestyramine, 3%, altered effect of, on plasma lipids and biliary bile acid output in pregnant rat (Innis), 742
- Diethylstilbestrol-type genital changes, spontaneous rupture of gravid uterus in patient with (Williamson, Sowell, and Smith), 158
- Digoxin-like immunoreactive substance in preeclampsia (Gusdon, Buckalew, and Hennessy), 83 (Current investigation)
- Dihydrotestosterone (5 α -) receptor, specific, and 5 α -reductase activity in human amniotic fluid cells (Sultan et al.), 956
- Dilatation, cervical, low-dose prostaglandin E₂ analogue for, prior to pregnancy termination (Borten, DiLeo, and Friedman), 561
- Diploid karyotype, partial hydatidiform mole with: report of three cases (Teng and Ballon), 961
- Disease, gestational trophoblastic, epidemiology of (Grimes), 309 (Current developments)
- use of oral VP16-213 as primary chemotherapeutic agent in treatment of (Wong, Choo, and Ma), 924
- infantile polycystic kidney, II. Diagnosis of congenital renal anomalies with ultrasound (Romero et al.), 259
- postasphyxial lung, in newborn infants with severe perinatal acidosis (Thibeault et al.), 393
- subclinical autoimmune, and unexplained abortion (Cowchock et al.), 367
- Dissemination, patterns of, and metastatic potential: Stage IB adenocarcinoma of cervix (Kjorstad and Bond), 297
- Distress, fetal, observations concerning causes of, I. Prolonged pregnancy (Leveno et al.), 465
- Diuretics, effects of, on plasma volume in pregnancies with long-term hypertension (Sibai, Grossman, and Grossman), 831
- Drug therapy, anticonvulsant, in human pregnancy: effects on serum concentrations of vitamin D metabolites in maternal and cord blood (Markstad et al.), 254
- Dubowitz scores, delivery route, and birth weight, relative importance of: association between cesarean birth and outcome in vertex presentation (Rosen and Chik), 775
- Dysfunctional labor, oxytocin augmentation of. IV. Oxytocin pharmacokinetics (Seitchik et al.), 225
- Dysgenesis, gonadal, and sex chromosomal rings and fragments, gonadal tumors in patients with (Nagel et al.), 76
- Dyspareunia, equestrian (Greiss), 168
- Dystocia, soft tissue, case of: cervical scleroderma (Bellucci, Coustan, and Plotz), 891 (Comm. in brief)
- ### E
- Echocardiography, fetal. IV. M-mode assessment of ventricular size and contractility during second and third trimesters of pregnancy in normal fetus (DeVore, Siassi, and Platt), 981
- Eclampsia-induced uterine hypertonus, fetal resuscitation with terbutaline during (Barretti), 895 (Comm. in brief)
- longitudinal evaluation of hemodynamic changes in (Hankins et al.), 506
- Ectopic pregnancy, persistent trophoblast following conservative operation for (Richards), 100 (Comm. in brief)
- suspected, contemporary approach to, with use of quantitative and qualitative assays for β -subunit of human chorionic gonadotropin and sonography (Holman, Tyrey, and Hammond), 151
- Electronically pulsed versus quasi-continuous wave carbon dioxide lasers, analysis of, in animal model (Bellina et al.), 934
- Endocervical culture for *Neisseria gonorrhoeae*, effect of topical contraceptive on (Livengood, Addison, and Voeller), 319 (Comm. in brief)
- Endometrial carcinoma, human, transplanted into nude mice, induction of cytoplasmic progesterone receptor in (Soper et al.), 437 (Comm. in brief)
- Endometriosis, etiology of infertility in monkeys with: measurement of peritoneal fluid prostaglandins (Schenken et al.), 349
- Endometrium and decidua, human, diamine oxidase activity in (Holinka and Gurpide), 359
- Endorphin (β -) concentrations, plasma, prior to and during pregnancy, in labor, and after delivery (Hoffman et al.), 492
- Endoscope, ultra-thin-caliber, investigation of obstructive jaundice by: new technique for potential use in pregnancy (Bar-Meir and Rotmensh), 1003 (Comm. in brief)
- Endothelial damage, vascular, possible biochemical marker for: plasma fibronectin levels in preeclampsia (Stubbs, Lazarchick, and Horger), 885 (Current investigation)
- Enzyme(s), hepatic, hormones, and substrates, fetal, effects of physiologic hyperinsulinemia on: chronic hyperinsulinemia in fetal rhesus monkey (Susa et al.), 415
- involved in collagen breakdown, FZ-peptidase, rise in serum levels of, in human pregnancy and labor (Rajabi and Woessner), 821

- Epidemic of "childbed fever" (McGregor, Ott, and Villard), 385
- Epidemiology of gestational trophoblastic disease (Grimes), 309 (Current developments)
- Epithelial cells, use of montages to study topographical relationship of: ultrastructure of normal, metaplastic, and abnormal human uterine cervix (Feldman et al.), 573
- neoplasms, human ovarian, quantitation of immunoglobulins in effusions of (Kutteh et al.), 65
- Equestrian dyspareunia (Greiss), 168
- Erythroblastosis fetalis, severe, secondary to anti-Kp^b sensitization (Dacus and Spinnato), 888 (Comm. in brief)
- Escherichia coli* gas production in stillborn fetus (Jasnosc, Macpherson, and Mazer), 1001 (Comm. in brief)
- Essential fatty acid levels, abnormal, in plasma of women with premenstrual syndrome (Brush et al.), 363
- Estradiol or progesterone concentration measurements, serial plasma, preterm delivery is not predicted by (Block, Liggins, and Creasy), 716
- and their receptors, sequential changes in: implantation of rabbit blastocyst (Khan-Dawood and Dawood), 450
- Estrogen, cytoplasmic, and progesterone receptor content of uterine sarcomas (Soper et al.), 342
- and progesterone receptor and hormone levels in human myometrium and placenta in term pregnancy (Khan-Dawood and Dawood), 501
- Estrous cycle of gilts, interaction of ovarian steroids and periarthral α_1 -adrenergic receptors in altering uterine blood flow during (Ford et al.), 480
- Ethanol, effects of, on alcohol dehydrogenase and microsomal ethanol oxidative system activities in fetal mice (Salinas and Arias), 541
- "Excellence, pursuit of": have we apprehended and comprehended it (Sosnowski), 115
- Excision, laser cylindrical, to replace conization (Wright, Davies, and Riopelle), 704
- wide local, in treatment of vulvar carcinoma in situ: reappraisal (Wolcott and Gallup), 695
- Exenteration, pelvic: 15-year experience in general metropolitan hospital (Averette et al.), 179
- Experimental intrauterine growth retardation, regional distribution of cerebral blood flow in (Clapp et al.), 843
- Extrophy of cloaca with omphalocele: two cases (Hesser, Murata, and Swallow), 1004 (Comm. in brief)

F

- Fatty acid levels, abnormal essential, in plasma of women with premenstrual syndrome (Brush et al.), 363
- Fertilizing capacity, sperm, and semen transferrin concentration, correlation of (Sueldo et al.), 528
- Fetal adrenal function and fetal plasma lipoprotein-cholesterol metabolism, effect of hypertension in pregnant women on (Parker et al.), 263
- breathing movements and response to carbon dioxide in patients on methadone maintenance (Richardson, O'Grady, and Olsen), 400
- death, intrauterine, and clinically silent polymicrobial amnionitis associated with Cu-7 intrauterine contraceptive device (Waites et al.), 998 (Comm. in brief)
- unusual complication of delayed management in case of (York and Rettenmaier), 101 (Comm. in brief)
- distress, observations concerning causes of, I. Prolonged pregnancy (Leveno et al.), 465
- echocardiography, IV. M-mode assessment of ventricular size and contractility during second and third trimesters of pregnancy in normal fetus (DeVore, Siassi, and Platt), 981
- heart rate decelerations, significance of, during nonstress testing (Bourgeois, Thiagarajah, and Harbert), 213
- testing, antepartum. XI. Stimulation with orange juice (Eglinton et al.), 97 (Comm. in brief)
- hepatocytes, human, cholesterol synthesis by: effect of lipoproteins (Carr and Simpson), 551
- hydrocephalus diagnosed by ultrasound, etiologic heterogeneity of (Harrod et al.), 38
- intravascular 4-aminoantipyrine infusions, effect of, on myometrial activity (contractures) at 125 to 143 days' gestation in pregnant sheep (El Badry et al.), 474
- lung liquid regulation by neuropeptides (Ross et al.), 421
- mice, effects of ethanol on alcohol dehydrogenase and microsomal ethanol oxidative system activities in (Salinas and Arias), 541

Fetal—Cont'd

- organs, blood flow and oxygen delivery to, as functions of fetal hematocrit (Fumia, Edelstone, and Holzman), 274
- oxygen and carbon dioxide levels in labor, continuous, noninvasive measurement of, by use of mass spectrometry (Sykes et al.), 847
- pharyngeal teratoma—another cause of elevated amniotic fluid α -fetoprotein (Anderson et al.), 432 (Comm. in brief)
- pulmonary maturation during diabetic pregnancy, what affects (Ferroni et al.), 270
- resuscitation with terbutaline during eclampsia-induced uterine hypertonus (Barrett), 895 (Comm. in brief)
- rhesus monkey, chronic hyperinsulinemia in: effects of physiologic hyperinsulinemia on fetal substrates, hormones, and hepatic enzymes (Susa et al.), 415
- sheep, continuous measurement of oxygen consumption in (Block et al.), 406
- meclizolam and prostaglandin E₂ affect breathing movements independently of glucose concentrations in (Murai et al.), 758
- supraventricular tachycardia, correction of, by compression of umbilical cord: report of case (Martin, Nijhuis, and Weijer), 324 (Comm. in brief)
- thyrotoxicosis, prenatal diagnosis and treatment of (Pekonen et al.), 893 (Comm. in brief)
- Fetoprotein (α -), elevated amniotic fluid, another cause of—fetal pharyngeal teratoma (Anderson et al.), 432 (Comm. in brief)
- Fetoscopic intravascular transfusions, management of severe rhesus isoimmunization by (Rodeck et al.), 769
- "Fever, childbed," epidemic of (McGregor, Ott, and Villard), 385
- Fetus(es), amniotic fluid, and mother, circadian hormonal interactions among (Walsh, Ducsay, and Novy), 745
- anencephalic, umbilical cord plasma concentrations of deoxycorticosterone sulfate in (Parker et al.), 754
- chronically instrumented rhesus monkey, intrauterine growth of (Murata et al.), 40
- compromised, maternal furosemide may not provoke urine production in (Harman), 322 (Comm. in brief)
- and mother, comparison of changes in ovine plasma chorionic somatomammotropin concentrations in, before spontaneous vaginal delivery at term and adrenocorticotropin-induced premature delivery (Lowe et al.), 524
- normal, M-mode assessment of ventricular size and contractility during second and third trimesters of pregnancy in. IV. Fetal echocardiography (DeVore, Siassi, and Platt), 981
- stillborn, *Escherichia coli* gas production in (Jasnosc, Macpherson, and Mazer), 1001 (Comm. in brief)
- transcutaneous carbon dioxide measurements in, during labor (Hansen et al.), 47
- with lactic acidemia, outcome of (Suidan and Young), 33
- Fibronectin levels, plasma, in preeclampsia: possible biochemical marker for vascular endothelial damage (Stubbs, Lazarick, and Horger), 885 (Current investigation)
- Flora, vaginal, in pregnancy, prospective study of: risk factors for prematurity and premature rupture of membranes (Minkoff et al.), 965
- Fluorouracil (5-), reevaluation of, as single therapeutic agent for gestational trophoblastic neoplasms (Sung, Wu, and Yang), 69
- Flushes, menopausal, skin temperature, and luteinizing hormone secretion, effect of methyldopa on (Tulandi et al.), 709
- Follicular aspiration, severe ovarian hyperstimulation following (Friedman et al.), 436 (Comm. in brief)
- Furosemide, maternal, may not provoke urine production in compromised fetus (Harman), 322 (Comm. in brief)

G

- Gas production, *Escherichia coli*, in stillborn fetus (Jasnosc, Macpherson, and Mazer), 1001 (Comm. in brief)
- Genetic amniocentesis: impact of placental position upon risk of pregnancy loss (Crane and Kopta), 813
- aspects of vulvar lichen sclerosis (Friedrich and MacLaren), 161
- Genital changes, diethylstilbestrol-type, spontaneous rupture of gravid uterus in patient with (Williamson, Sowell, and Smith), 158
- excretion, asymptomatic, of herpes simplex virus during early labor (Hankins et al.), 100 (Comm. in brief)
- intraepithelial neoplasia, lower, and human papillomavirus, relationship between, in immunosuppressed women (Sillman et al.), 300
- warts and cervical cancer. VI. Relationship between aneuploid and polyploid cervical lesions (Reid et al.), 189

- Germ cell malignancies, refractory ovarian, VP16-213- and cisplatin-containing regimen for treatment of (Smith, Clarke-Pearson, and Creasman), 927
- Gestation, decreased length of, and marijuana use during pregnancy (Fried, Watkinson, and Willan), 23
- 125 to 143 days', effect of fetal intravascular 4-aminoantipyrine infusions on myometrial activity (contractures) at, in pregnant sheep (El Badry et al.), 474
- tubal, amniotic fluid prolactin levels in: support for unique role of decidua (Rosenberg), 102 (Comm. in brief)
- twin, rhesus isoimmunization in (Knuppel et al.), 136
- successful outcome of, in both horns of bicornuate uterus (Ahram et al.), 323 (Comm. in brief)
- Gestational diabetes, prophylactic insulin treatment of, reduces incidence of macrosomia, operative delivery, and birth trauma (Coustan and Imarah), 836
- trophoblastic disease, epidemiology of (Grimes), 309 (Current developments)
- use of oral VP16-213 as primary chemotherapeutic agent in treatment of (Wong, Choo, and Ma), 924
- neoplasms, reevaluation of 5-fluorouracil as single therapeutic agent for (Sung, Wu, and Yang), 69
- Glucose, blood, self-monitoring of, by diabetic women during third trimester of pregnancy (Hanson et al.), 817
- concentrations, meclofenamate and prostaglandin E₂ affect breathing movements independently of, in fetal sheep (Murai et al.), 758
- urea, inorganic ions, and albumin, concentrations of, and osmolarity, human uterine fluid, examined in undiluted samples for (Casslén and Nilsson), 877
- Glycosylated hemoglobin as screening test for carbohydrate intolerance in pregnancy (Cousins et al.), 455
- Gonadal androgen receptor activity: androgen insensitivity syndrome (Coulam, Graham, and Spelsberg), 531
- tumors in patients with gonadal dysgenesis and sex chromosomal rings and fragments (Nagel et al.), 76
- Gonadotropin, human chorionic, β -subunit of, contemporary approach to suspected ectopic pregnancy with use of quantitative and qualitative assays for, and sonography (Holman, Tyrey, and Hammond), 151
- and thyroid function in patients with hydatidiform mole (Amir et al.), 723
- releasing hormone level, immunoreactive, in maternal circulation throughout pregnancy (Siler-Khodr, Khodr, and Valenzuela), 376
- Gravid uterus, spontaneous rupture of, in patient with diethylstilbestrol-type genital changes (Williamson, Sowell, and Smith), 158
- uterine contractility after rupture of: case report (Zuidema, Goldkrand, and Work), 783 (Comm. in brief)
- Growth, intrauterine, of chronically instrumented rhesus monkey fetuses (Murata et al.), 40
- retardation, experimental intrauterine, regional distribution of cerebral blood flow in (Clapp et al.), 843
- Gynecologic operations, pharmacokinetic study of moxalactam in patients undergoing (Rettenmaier et al.), 882
- patients, obese, modifications of celiotomy techniques to decrease morbidity in (Gallup), 171
- H
- Heart rate decelerations, fetal, significance of, during nonstress testing (Bourgeois, Thiagarajah, and Harbert), 213
- testing, antepartum fetal. XI. Stimulation with orange juice (Eglington et al.), 97 (Comm. in brief)
- Hematocrit, fetal, blood flow and oxygen delivery to fetal organs as functions of (Fumia, Edelstone, and Holzman), 274
- Hemodynamic changes, longitudinal evaluation of, in eclampsia (Hankins et al.), 506
- measurements in preeclampsia: preliminary observations (Groenendijk, Trimboos, and Wallenburg), 232
- Hemoglobin disorders, inherited, screening protocol for prenatal population at risk for: results of its application to group of Southeast Asians and blacks (Stein et al.), 333 (Clinical opinion)
- glycosylated, as screening test for carbohydrate intolerance in pregnancy (Cousins et al.), 455
- Hemorrhage, postpartum, conservative treatment of, in second-trimester cervical pregnancy (ten Kate-Booij and Wallenburg), 103 (Comm. in brief)
- Hepatectomy, partial, for removal of hepatocellular adenomas, successful pregnancy following (Barnes, Harder, and Toot), 998 (Comm. in brief)
- Hepatic enzymes, hormones, and substrates, fetal, effects of physiologic hyperinsulinemia on: chronic hyperinsulinemia in fetal rhesus monkey (Susa et al.), 415
- oxygenation during arterial hypoxemia in neonatal lambs (Edelstone, Paulone, and Holzman), 513
- Hepatocellular adenomas, successful pregnancy following partial hepatectomy for removal of (Barnes, Harder, and Toot), 998 (Comm. in brief)
- Hepatocytes, human fetal, cholesterol synthesis by: effect of lipoproteins (Carr and Simpson), 551
- Herpes simplex virus, asymptomatic genital excretion of, during early labor (Hankins et al.), 100 (Comm. in brief)
- Heterogeneity, etiologic, of fetal hydrocephalus diagnosed by ultrasound (Harrod et al.), 38
- Histocompatibility complex antigens, major, absence of, in chorio-carcinoma (Yamashita, Nakamura, and Shimizu), 896 (Comm. in brief)
- Hormonal interactions, circadian, among mother, fetus, and amniotic fluid (Walsh, Ducsay, and Novy), 745
- Hormone(s) level, immunoreactive gonadotropin-releasing, in maternal circulation throughout pregnancy (Siler-Khodr, Khodr, and Valenzuela), 376
- and receptor(s) levels, estrogen and progesterone, in human myometrium and placenta in term pregnancy (Khan-Dawood and Dawood), 501
- steroid, in adrenal cortical carcinoma (Sanfilippo and Wittliff), 326 (Comm. in brief)
- secretion, luteinizing, menopausal flushes, and skin temperature, effect of methylglucagon (Tulandi et al.), 709
- substrates, and hepatic enzymes, fetal, effects of physiologic hyperinsulinemia on: chronic hyperinsulinemia in fetal rhesus monkey (Susa et al.), 415
- Hospital, general metropolitan, 15-year experience in: pelvic exenteration (Averette et al.), 179
- Human chorionic gonadotropin, β -subunit of, contemporary approach to suspected ectopic pregnancy with use of quantitative and qualitative assays for, and sonography (Holman, Tyrey, and Hammond), 151
- and thyroid function in patients with hydatidiform mole (Amir et al.), 723
- Humoral immunity, influence of, postabortal pelvic infection associated with *Chlamydia trachomatis* and (Osseir and Persson), 699
- Hydatidiform mole, human chorionic gonadotropin and thyroid function in patients with (Amir et al.), 723
- partial, with diploid karyotype: report of three cases (Teng and Ballon), 961
- Hydration, intravenous, influence of: peripartum colloid osmotic pressure changes (Gonik et al.), 99 (Comm. in brief)
- Hydrocephalus, fetal, diagnosed by ultrasound, etiologic heterogeneity of (Harrod et al.), 38
- Hydrops fetalis, nonimmune, investigation of (Holzgreve et al.), 805
- Hyperaldosteronism, primary, during pregnancy (Merrill, Dombroski, and MacKenna), 786 (Comm. in brief)
- Hyperinsulinemia, chronic, in fetal rhesus monkey: effects of physiologic hyperinsulinemia on fetal substrates, hormones, and hepatic enzymes (Susa et al.), 415
- Hyperstimulation, severe ovarian, following follicular aspiration (Friedman et al.), 436 (Comm. in brief)
- Hypertension, long-term, effects of diuretics on plasma volume in pregnancies with (Sibai, Grossman, and Grossman), 831
- pregnancy-associated, obstetric aspects of use of β -adrenoceptor antagonist atenolol in (Rubin et al.), 389
- induced, cardiac size and function in (Veille, Hosenpud, and Morton), 443
- in pregnant women, effect of, on fetal adrenal function and fetal plasma lipoprotein-cholesterol metabolism (Parker et al.), 263
- Hypertensive rat, spontaneously, relationship between reproductive performance and blood pressure in (Lorenz et al.), 519
- Hyperthermia, malignant, in pregnancy (Cupryn et al.), 327 (Comm. in brief)
- Hypertonic saline-induced abortions, prostaglandin F_{2 α} , oxytocin, and uterine activation in (Fuchs et al.), 27
- Hypertonus, uterine, eclampsia-induced, fetal resuscitation with terbutaline during (Barrett), 895 (Comm. in brief)
- Hypoxemia, arterial, hepatic oxygenation during, in neonatal lambs (Edelstone, Paulone, and Holzman), 513
- Hypoxic-ischemic brain injury in neonatal rat, naloxone exacerbates (Young et al.), 52

Hysterectomy, confirmation of preoperative diagnoses for (Lee et al.), 283

I

Immunity, humoral, influence of, postabortal pelvic infection associated with *Chlamydia trachomatis* and (Osser and Persson), 699

Immunoglobulins, quantitation of, in effusions of human ovarian epithelial neoplasms (Kutteh et al.), 65

Immunoreactive gonadotropin-releasing hormone level in maternal circulation throughout pregnancy (Siler-Khodr, Khodr, and Valenzuela), 376

substance, digoxin-like, in preeclampsia (Gusdon, Buckalew, and Hennessy), 83 (Current investigation)

Immunosuppressed women, relationship between human papillomavirus and lower genital intraepithelial neoplasia in (Sillman et al.), 300

Implantation of rabbit blastocyst: sequential changes in estradiol and progesterone and their receptors (Khan-Dawood and Dawood), 450

Indigo carmine, use of, for twin amniocentesis and its effect on bilirubin analysis (Hoger and Moody), 858

Infant(s), newborn, with severe perinatal acidosis, postasphyxial lung disease in (Thibeault et al.), 393

premature, uterine strangulation of (Goodlin and Kubitz), 435 (Comm. in brief)

Infantile polycystic kidney disease, II. Diagnosis of congenital renal anomalies with ultrasound (Romero et al.), 259

Infection, postabortal pelvic, associated with *Chlamydia trachomatis* and influence of humoral immunity (Osser and Persson), 699

Infertility in monkeys with endometriosis, etiology of: measurement of peritoneal fluid prostaglandins (Schenken et al.), 349

Infusion, intravenous, of angiotensin II, plasma prostaglandins during, in pregnant women (Strickland et al.), 952

Inherited hemoglobin disorders, screening protocol for prenatal population at risk for: results of its application to group of Southeast Asians and blacks (Stein et al.), 333 (Clinical opinion)

Inorganic ions, albumin, glucose, and urea, concentrations of, and osmolality, human uterine fluid, examined in undiluted samples for (Casslén and Nilsson), 877

Instillation, intraperitoneal, of chromic phosphate, radioactivity in blood and urine following, in patients with and without ascites (Bakri and Given), 184

Instrumented versus spontaneous: uroflowmetry (Bergman and Bhatta), 788 (Comm. in brief)

Insulin-dependent diabetic women, spontaneous abortion among (Miodovnik et al.), 372

treatment, prophylactic, of gestational diabetes reduces incidence of macrosomia, operative delivery, and birth trauma (Coustan and Imarah), 836

Intraepithelial neoplasia, cervical, cryosurgical treatment of: four-year experience (Arof, Gerbie, and Smeltzer), 865

and koilocyte: time-trend analysis of recent decade (Mazur and Cloud), 354

lower genital, and human papillomavirus, relationship between, in immunosuppressed women (Sillman et al.), 300

Intramuscular and intravenous magnesium sulfate regimens, comparison of, in preeclampsia (Sibai, Graham, and McCubbin), 728

Intraperitoneal instillation of chromic phosphate, radioactivity in blood and urine following, in patients with and without ascites (Bakri and Given), 184

Intrauterine fetal death and clinically silent polymicrobial amnionitis associated with Cu-7 intrauterine contraceptive device (Waites et al.), 998 (Comm. in brief)

growth of chronically instrumented rhesus monkey fetuses (Murata et al.), 40

retardation, experimental, regional distribution of cerebral blood flow in (Clapp et al.), 843

Intravascular 4-aminopyridine infusions, fetal, effect of, on myometrial activity (contractures) at 125 to 143 days' gestation in pregnant sheep (El Badry et al.), 474

transfusions, fetoscopic, management of severe rhesus isoimmunization by (Rodeck et al.), 769

Intravenous hydration, influence of: peripartum colloid osmotic pressure changes (Gonik et al.), 99 (Comm. in brief)

infusion of angiotensin II, plasma prostaglandins during, in pregnant women (Strickland et al.), 952

Intravenous—Cont'd

and intramuscular magnesium sulfate regimens, comparison of, in preeclampsia (Sibai, Graham, and McCubbin), 728

Inversion, acute puerperal uterine, management considerations in patient with: previous cesarean birth (Rodriguez et al.), 433 (Comm. in brief)

acute and subacute puerperal uterine, management of, with terbutaline sulfate (Kovacs and DeVore), 784 (Comm. in brief)

Ions, inorganic, albumin, glucose, and urea, concentrations of, and osmolality, human uterine fluid, examined in undiluted samples for (Casslén and Nilsson), 877

Ischemic-hypoxic brain injury in neonatal rat, naloxone exacerbates (Young et al.), 52

Isoimmunization, rhesus, in twin gestation (Knuppel et al.), 136

severe rhesus, management of, by fetoscopic intravascular transfusions (Rodeck et al.), 769

Items, 114, 224, 332, 442, 572, 800, 904, 1012

J

Jaundice, obstructive, investigation of, by ultra-thin-caliber endoscope: new technique for potential use in pregnancy (Bar-Meir and Rotmensh), 1003 (Comm. in brief)

K

Karyotype, diploid, partial hydatidiform mole with: report of three cases (Teng and Ballon), 961

Kidney disease, infantile polycystic, II. Diagnosis of congenital renal anomalies with ultrasound (Romero et al.), 259

Koilocyte and cervical intraepithelial neoplasia: time-trend analysis of recent decade (Mazur and Cloud), 354

L

Labor, amniotic fluid 6-keto-prostaglandin $F_{1\alpha}$ and thromboxane B_2 during (Mäkeläinen and Ylikorkala), 765

continuous, noninvasive measurement of fetal oxygen and carbon dioxide levels in, by use of mass spectrometry (Sykes et al.), 847

and delivery, long-term effects of, on offspring: matched-pair analysis (Friedman et al.), 941

dysfunctional, oxytocin augmentation of. IV. Oxytocin pharmacokinetics (Seitchik et al.), 225

early, asymptomatic genital excretion of herpes simplex virus during (Hankins et al.), 100 (Comm. in brief)

management of spontaneous rupture of membranes in absence of, in primigravida women at term (Conway et al.), 947

plasma β -endorphin concentrations in, prior to and during pregnancy, and after delivery (Hoffman et al.), 492

and pregnancy, human, rise in serum levels of PZ-peptidase, enzyme involved in collagen breakdown, in (Rajabi and Woessner), 821

preterm, double-blind study comparing ritodrine and terbutaline in treatment of (Caritis et al.), 7

and premature rupture of membranes, effects of betamethasone on white blood cells in patients with (Ferguson, Hensleigh, and Gill), 439 (Comm. in brief)

transcutaneous carbon dioxide measurements in fetus during (Hansen et al.), 47

uterine rupture with use of vaginal prostaglandin E_2 for induction of (Claman, Carpenter, and Reiter), 889 (Comm. in brief)

Laboratory indicators of bacterial vaginosis (nonspecific vaginitis), prevalence, six-month persistence, and predictive values of, in asymptomatic women (Bump et al.), 917

Lactating women, prolactin response to breast stimulation in, is not mediated by endogenous opioids (Cholst et al.), 558

Lactic acidemia, outcome of fetuses with (Suidan and Young), 33

Lamellar bodies from human amniotic fluid, purification of (Cavaliere and Woodling), 409

Laparoscopic sterilization with use of tubal ring, comparative study of topical anesthesia for (Koetsawang et al.), 931

Laser(s) cylindrical excision to replace conization (Wright, Davies, and Riopelle), 704

electronically pulsed versus quasi-continuous wave carbon dioxide, analysis of, in animal model (Bellina et al.), 934

Legal liability in use of ultrasound by office-based obstetricians (Perone, Carpenter, and Robertson), 801 (Clinical opinion)

Lesions, polyploid and aneuploid cervical, relationship between, VI. Genital warts and cervical cancer (Reid et al.), 189

Liability, legal, in use of ultrasound by office-based obstetricians (Perone, Carpenter, and Robertson), 801 (Clinical opinion)

Lichen sclerosis, vulvar, genetic aspects of (Friedrich and MacLaren), 161

- Limb defects, reduction, and vitamin intake during early pregnancy, lack of association between (Aro et al.), 433 (Comm. in brief)
- Lipids, plasma, and biliary bile acid output, altered effect of 3% dietary cholestyramine on, in pregnant rat (Innis), 742
- Lipoprotein(s)-cholesterol metabolism, fetal plasma, and fetal adrenal function, effect of hypertension in pregnant women on (Parker et al.), 263
- effect of: cholesterol synthesis by human fetal hepatocytes (Carr and Simpson), 551
- Lung disease, postasphyxial, in newborn infants with severe perinatal acidosis (Thibeault et al.), 393
- liquid regulation, fetal, by neuropeptides (Ross et al.), 421
- Luteinizing hormone secretion, menopausal flushes, and skin temperature, effect of methyldopa on (Tulandi et al.), 709
- M**
- Macrosomia, operative delivery, and birth trauma, prophylactic insulin treatment of gestational diabetes reduces incidence of (Coustan and Imarah), 836
- Magnesium sulfate, addition of, improves effectiveness of ritodrine in preventing premature delivery (Hatjis et al.), 142
- regimens, intravenous and intramuscular, comparison of, in pre-eclampsia (Sibai, Graham, and McCubbin), 728
- Malignancies, refractory ovarian germ cell, VP16-213- and cisplatin-containing regimen for treatment of (Smith, Clarke-Pearson, and Creasman), 927
- Malignant hyperthermia in pregnancy (Cupryn et al.), 327 (Comm. in brief)
- Mammary blood flow regulation in nursing rabbit (Katz and Creasy), 497
- Marijuana use during pregnancy and decreased length of gestation (Fried, Watkinson, and Willan), 23
- Mass spectrometry, continuous, noninvasive measurement of fetal oxygen and carbon dioxide levels in labor by use of (Sykes et al.), 847
- Matched-pair analysis: long-term effects of labor and delivery on offspring (Friedman et al.), 941
- Maternal circulation, immunoreactive gonadotropin-releasing hormone level in, throughout pregnancy (Siler-Khodr, Khodr, and Valenzuela), 376
- and cord blood, effects on serum concentrations of vitamin D metabolites in: anticonvulsant drug therapy in human pregnancy (Markestad et al.), 254
- furosemide may not provoke urine production in compromised fetus (Harman), 322 (Comm. in brief)
- and perinatal mortality in religious group avoiding obstetric care (Kaunitz et al.), 826
- Maturation, fetal pulmonary, what affects, during diabetic pregnancy (Ferroni et al.), 270
- Meclofenamate and prostaglandin E₂ affect breathing movements independently of glucose concentrations in fetal sheep (Murai et al.), 758
- Meconium, effect of, on detection of phosphatidylglycerol (Yambao et al.), 426
- like substance, presence of, in second-trimester amniotic fluid (Alger, Kisner, and Nagey), 380
- Membranes, management of spontaneous rupture of, in absence of labor in primigravid women at term (Conway et al.), 947
- premature rupture of, C-reactive protein as predictor for chorioamnionitis in cases of (Romem and Arta), 546
- and prematurity, risk factors for: prospective study of vaginal flora in pregnancy (Minkoff et al.), 965
- and preterm labor, effects of betamethasone on white blood cells in patients with (Ferguson, Hensleigh, and Gill), 439 (Comm. in brief)
- preterm prematurely ruptured, management of: retrospective comparison of observation versus use of steroids and timed delivery (Iams and Barrows), 977
- Memphis and Shelby County, Tennessee, cervical cancer occurrence in, during 25 years of its cervical cytology screening program (Dunn et al.), 861
- Menopausal flushes, skin temperature, and luteinizing hormone secretion, effect of methyldopa on (Tulandi et al.), 709
- Menses, postconceptional induction of, with double prostaglandin F_{2α} impact (Borten and Friedman), 1006 (Comm. in brief)
- Mesenteric and uterine arteries, porcine, quantitation of α₁-adrenergic receptors in (Farley et al.), 485
- Metabolism, altered catecholamine, in polycystic ovary syndrome, evidence for (Shoupe and Lobo), 566
- Metabolism—Cont'd
- fetal plasma lipoprotein-cholesterol, and fetal adrenal function, effect of hypertension in pregnant women on (Parker et al.), 263
- Metaplastic, abnormal, and normal human uterine cervix, ultrastructure of: use of montages to study topographical relationship of epithelial cells (Feldman et al.), 573
- Metastatic potential and patterns of dissemination: Stage IB adenocarcinoma of cervix (Kjorstad and Bond), 297
- Methadone maintenance, fetal breathing movements and response to carbon dioxide in patients on (Richardson, O'Grady, and Olsen), 400
- Methyldopa, effect of, on menopausal flushes, skin temperature, and luteinizing hormone secretion (Tulandi et al.), 709
- Microsomal ethanol oxidative system activities and alcohol dehydrogenase, effects of ethanol on, in fetal mice (Salinas and Arias), 541
- Middle-aged and young women, cardiorespiratory efficiency at submaximal work in (Zauner et al.), 712
- Model, animal, analysis of electronically pulsed versus quasi-continuous wave carbon dioxide lasers in (Bellina et al.), 934
- Mole(s), hydatidiform, human chorionic gonadotropin and thyroid function in patients with (Amir et al.), 723
- partial hydatidiform, with diploid karyotype: report of three cases (Teng and Ballon), 961
- XY and XX complete: clinical and morphologic correlations (Kajii et al.), 57
- Montages, use of, to study topographical relationship of epithelial cells: ultrastructure of normal, metaplastic, and abnormal human uterine cervix (Feldman et al.), 573
- Morbidity, modifications of celiotomy techniques to decrease, in obese gynecologic patients (Gallup), 171
- Mortality, perinatal and maternal, in religious group avoiding obstetric care (Kaunitz et al.), 826
- Mother, fetus, and amniotic fluid, circadian hormonal interactions among (Walsh, Ducsay, and Novy), 745
- comparison of changes in ovine plasma chorionic somatomammotropin concentrations in, before spontaneous vaginal delivery at term and adrenocorticotropin-induced premature delivery (Lowe et al.), 524
- Movements, breathing, meclofenamate and prostaglandin E₂ affect, independently of glucose concentrations in fetal sheep (Murai et al.), 758
- fetal breathing, and response to carbon dioxide in patients on methadone maintenance (Richardson, O'Grady, and Olsen), 400
- Moxalactam, pharmacokinetic study of, in patients undergoing gynecologic operations (Rettenmaier et al.), 882
- Myometrial activity (contractions), effect of fetal intravascular 4-aminopyridine infusions on, at 125 to 143 days' gestation in pregnant sheep (El Badry et al.), 474
- Myometrium and placenta, human, estrogen and progesterone receptor and hormone levels in, in term pregnancy (Khan-Dawood and Dawood), 501
- N**
- Naloxone exacerbates hypoxic-ischemic brain injury in neonatal rat (Young et al.), 52
- Naproxen sodium for pain relief in first-trimester abortion (Suprpto and Reed), 1000 (Comm. in brief)
- Neisseria gonorrhoeae*, effect of topical contraceptive on endocervical culture for (Livingood, Addison, and Voeller), 319 (Comm. in brief)
- Neonatal lambs, hepatic oxygenation during arterial hypoxemia in (Edelstone, Paulone, and Holzman), 513
- neurobehavioral status and obstetric outcome: midtrimester amniocentesis (Finegan et al.), 989
- rat, naloxone exacerbates hypoxic-ischemic brain injury in (Young et al.), 52
- Neoplasia, cervical intraepithelial, cryosurgical treatment of: four-year experience (Arof, Gerbie, and Smeltzer), 865
- and koilocyte: time-trend analysis of recent decade (Mazur and Cloud), 354
- lower genital intraepithelial, and human papillomavirus, relationship between, in immunosuppressed women (Sillman et al.), 300
- Neoplasms, gestational trophoblastic, reevaluation of 5-fluorouracil as single therapeutic agent for (Sung, Wu, and Yang), 69
- human ovarian epithelial, quantitation of immunoglobulins in effusions of (Kutteh et al.), 65

Neurobehavioral status, neonatal, and obstetric outcome: midtrimester amniocentesis (Finegan et al.), 989
Neuropeptides, fetal lung liquid regulation by (Ross et al.), 421
Newborn infants with severe perinatal acidosis, postasphyxial lung disease in (Thibeault et al.), 393
Nonimmune hydrops fetalis, investigation of (Holzgreve et al.), 805
Nonstress testing, significance of fetal heart rate decelerations during (Bourgeois, Thiagarajah, and Harbert), 213
Nursing rabbit, mammary blood flow regulation in (Katz and Creasy), 497

O

Obese gynecologic patients, modifications of celiotomy techniques to decrease morbidity in (Gallup), 171
Obstetric aspects of use in pregnancy-associated hypertension of β -adrenoceptor antagonist atenolol (Rubin et al.), 389
care, perinatal and maternal mortality in religious group avoiding (Kaunitz et al.), 826
outcome and neonatal neurobehavioral status: midtrimester amniocentesis (Finegan et al.), 989
Obstetricians, office-based, legal liability in use of ultrasound by (Perrone, Carpenter, and Robertson), 801 (Clinical opinion)
Offspring, long-term effects of labor and delivery on: matched-pair analysis (Friedman et al.), 941
Omphalocele, extrophy of cloaca with: two cases (Hesser, Murata, and Swallow), 1004 (Comm. in brief)
Operations, gynecologic, pharmacokinetic study of moxalactam in patients undergoing (Rettenmaier et al.), 882
Operative delivery, birth trauma, and macrosomia, prophylactic insulin treatment of gestational diabetes reduces incidence of (Coustan and Imarah), 836
Opioids, endogenous, prolactin response to breast stimulation in lactating women is not mediated by (Cholst et al.), 558
Oral VP16-213, use of, as primary chemotherapeutic agent in treatment of gestational trophoblastic disease (Wong, Choo, and Ma), 924
Orange juice, stimulation with, XI. Antepartum fetal heart rate testing (Eglinton et al.), 97 (Comm. in brief)
Organs, fetal, blood flow and oxygen delivery to, as functions of fetal hematocrit (Fumia, Edelstone, and Holzman), 274
Osmolarity and concentrations of inorganic ions, albumin, glucose, and urea, human uterine fluid, examined in undiluted samples for (Casslén and Nilsson), 877
Osmotic pressure changes, peripartum colloid: influence of intravenous hydration (Gonik et al.), 99 (Comm. in brief)
Ovarian benign cystic teratoma, squamous cell carcinoma arising from (Selim, Razi, and Lankerani), 790 (Comm. in brief)
cancer: diagnosis and management (Barber), 910 (Clinical opinion)
epithelial neoplasms, human, quantitation of immunoglobulins in effusions of (Kutteh et al.), 65
germ cell malignancies, refractory, VP16-213- and cisplatin-containing regimen for treatment of (Smith, Clarke-Pearson, and Creasman), 927
hyperstimulation, severe, following follicular aspiration (Friedman et al.), 436 (Comm. in brief)
steroids and periarterial α_1 -adrenergic receptors, interaction of, in altering uterine blood flow during estrous cycle of gilts (Ford et al.), 480
Ovary syndrome, polycystic, evidence for altered catecholamine metabolism in (Shoupe and Lobo), 566
Oxygen and carbon dioxide levels, fetal, in labor, continuous, noninvasive measurement of, by use of mass spectrometry (Sykes et al.), 847
consumption, continuous measurement of, in fetal sheep (Block et al.), 406
delivery and blood flow to fetal organs as functions of fetal hematocrit (Fumia, Edelstone, and Holzman), 274
Oxygenation, hepatic, during arterial hypoxemia in neonatal lambs (Edelstone, Paulone, and Holzman), 513
Oxytocin augmentation of dysfunctional labor. IV. Oxytocin pharmacokinetics (Seitchik et al.), 225
prostaglandin $F_{2\alpha}$, and uterine activation in hypertonic saline-induced abortions (Fuchs et al.), 27
receptors in human uterus during pregnancy and parturition (Fuchs et al.), 734

P

Pain relief in first-trimester abortion, naproxen sodium for (Supranto and Reed), 1000 (Comm. in brief)
Papers of Society for Gynecologic Investigation, 443-571

Papillomavirus, human, and lower genital intraepithelial neoplasia, relationship between, in immunosuppressed women (Sillman et al.), 300
Parturition and pregnancy, oxytocin receptors in human uterus during (Fuchs et al.), 734
Pelvic exenteration: 15-year experience in general metropolitan hospital (Averette et al.), 179
infection, postabortal, associated with *Chlamydia trachomatis* and influence of humoral immunity (Osser and Persson), 699
Pemphigoid, bullous, of vulva: case report (Stage, Humeniuk, and Easley), 169
Periarterial α_1 -adrenergic receptors and ovarian steroids, interaction of, in altering uterine blood flow during estrous cycle of gilts (Ford et al.), 480
Perinatal acidosis, severe, postasphyxial lung disease in newborn infants with (Thibeault et al.), 393
and maternal mortality in religious group avoiding obstetric care (Kaunitz et al.), 826
outcome following prior delivery in late second or early third trimester (Socol et al.), 228
relationship of increased amniotic fluid volume to, II. Ultrasound evaluation of amniotic fluid volume (Chamberlain et al.), 250
marginal and decreased amniotic fluid volumes to perinatal outcome, I. Ultrasound evaluation of amniotic fluid volume (Chamberlain et al.), 245
Peripartum colloid osmotic pressure changes: influence of intravenous hydration (Gonik et al.), 99 (Comm. in brief)
Peritoneal fluid prostaglandins, measurement of: etiology of infertility in monkeys with endometriosis (Schenken et al.), 349
Pharmacokinetic(s), oxytocin, IV. Oxytocin augmentation of dysfunctional labor (Seitchik et al.), 225
study of moxalactam in patients undergoing gynecologic operations (Rettenmaier et al.), 882
Pharyngeal aspirate and amniotic fluid surfactant composition, comparison of (Mattox et al.), 132
teratoma, fetal—another cause of elevated amniotic fluid α -fetoprotein (Anderson et al.), 432 (Comm. in brief)
Pheochromocytoma: antepartum diagnosis and management with tumor resection in puerperium (Venuto, Burstein, and Schneider), 431 (Comm. in brief)
Phosphatidylglycerol, effect of meconium on detection of (Yamboo et al.), 426
Placenta and myometrium, human, estrogen and progesterone receptor and hormone levels in, in term pregnancy (Khan-Dawood and Dawood), 501
percreta associated with second-trimester pregnancy termination (Hornstein et al.), 1002 (Comm. in brief)
previa: aggressive expectant management (Silver et al.), 15
Placental bed, human, spiral (uteroplacental) arteries of, show presence of amniotic basement membrane antigens (Wells et al.), 973
position, impact of, upon risk of pregnancy loss: genetic amniocentesis (Crane and Kopta), 813
tissue, sheep, at term, adrenocorticotrophic activity of extract from (Mitchell et al.), 217
Plasma chorionic somatomotropin concentrations, ovine, comparison of changes in, in fetus and mother before spontaneous vaginal delivery at term and adrenocorticotropin-induced premature delivery (Lowe et al.), 524
 β -endorphin concentrations prior to and during pregnancy, in labor, and after delivery (Hoffman et al.), 492
concentrations, umbilical cord, of deoxycorticosterone sulfate in anencephalic fetuses (Parker et al.), 754
estradiol or progesterone concentration measurements, serial, preterm delivery is not predicted by (Block, Liggins, and Creasy), 716
fibronectin levels in preeclampsia: possible biochemical marker for vascular endothelial damage (Stubbs, Lazarchick, and Horger), 885 (Current investigation)
lipids and biliary bile acid output, altered effect of 3% dietary cholestyramine on, in pregnant rat (Innis), 742
lipoprotein-cholesterol metabolism, fetal, and fetal adrenal function, effect of hypertension in pregnant women on (Parker et al.), 263
prostaglandins during intravenous infusion of angiotensin II in pregnant women (Strickland et al.), 952
protein A, pregnancy-associated, serum concentration of, in first trimester of pregnancy (Bersinger and Klopfer), 780 (Current investigation)
volume, effects of diuretics on, in pregnancies with long-term hypertension (Sibai, Grossman, and Grossman), 831

Plasma—Cont'd

- of women with premenstrual syndrome, abnormal essential fatty acid levels in (Brush et al.), 363
- Polycystic kidney disease, infantile, II. Diagnosis of congenital renal anomalies with ultrasound (Romero et al.), 259
- ovary syndrome, evidence for altered catecholamine metabolism in (Shoupe and Lobo), 566
- Polymicrobial amnionitis, clinically silent, and intrauterine fetal death associated with Cu-7 intrauterine contraceptive device (Waite et al.), 998 (Comm. in brief)
- Polyploid and aneuploid cervical lesions, relationship between, VI. Genital warts and cervical cancer (Reid et al.), 189
- Postabortal pelvic infection associated with *Chlamydia trachomatis* and influence of humoral immunity (Osser and Persson), 699
- Postasphyxial lung disease in newborn infants with severe perinatal acidosis (Thibeault et al.), 393
- Postpartum hemorrhage, conservative treatment of, in second-trimester cervical pregnancy (ten Kate-Booij and Wallenburg), 103 (Comm. in brief)
- Preeclampsia, comparison of intravenous and intramuscular magnesium sulfate regimens in (Sibai, Graham, and McCubbin), 728
- digoxin-like immunoreactive substance in (Gusdon, Buckalew, and Hennessy), 83 (Current investigation)
- hemodynamic measurements in: preliminary observations (Groenendijk, Trimbois, and Wallenburg), 232
- plasma fibronectin levels in: possible biochemical marker for vascular endothelial damage (Stubbs, Lazarchick, and Horger), 885 (Current investigation)
- thrombocytopenia in: associated abnormalities and management principles (Thiagarajah et al.), 1
- Pregnancy(ies)-associated hypertension, obstetric aspects of use of β -adrenoceptor antagonist atenolol in (Rubin et al.), 389
- plasma protein A, serum concentration of, in first trimester of pregnancy (Bersinger and Klopfer), 780 (Current investigation)
- Bland-White-Garland syndrome in (Klein et al.), 106 (Comm. in brief)
- diabetic, what affects fetal pulmonary maturation during (Ferroni et al.), 270
- Pregnancy, early, lack of association between vitamin intake during, and reduction limb defects (Aro et al.), 433 (Comm. in brief)
- ectopic, persistent trophoblast following conservative operation for (Richards), 100 (Comm. in brief)
- glycosylated hemoglobin as screening test for carbohydrate intolerance in (Cousins et al.), 455
- human, anticonvulsant drug therapy in: effects on serum concentrations of vitamin D metabolites in maternal and cord blood (Markstad et al.), 254
- immunoreactive gonadotropin-releasing hormone level in maternal circulation throughout (Siler-Khodr, Khodr, and Valenzuela), 376
- inadequate treatment of syphilis in (Mascola, Pelosi, and Alexander), 945
- induced hypertension, cardiac size and function in (Veille, Hosenpud, and Morton), 443
- and labor, human, rise in serum levels of PZ-peptidase, enzyme involved in collagen breakdown, in (Rajabi and Woessner), 821
- loss, impact of placental position upon risk of: genetic amniocentesis (Crane and Kopta), 813
- malignant hyperthermia in (Cupryn et al.), 327 (Comm. in brief)
- marijuana use during, and decreased length of gestation (Fried, Watkinson, and Willan), 23
- M-mode assessment of ventricular size and contractility during second and third trimesters of, in normal fetus, IV. Fetal echocardiography (DeVore, Sias, and Platt), 981
- new technique for potential use in: investigation of obstructive jaundice by ultra-thin-caliber endoscope (Bar-Meir and Rotmensch), 1003 (Comm. in brief)
- and parturition, oxytocin receptors in human uterus during (Fuchs et al.), 734
- plasma β -endorphin concentrations prior to and during, in labor, and after delivery (Hoffman et al.), 492
- primary aldosteronism in (Colton, Perez, and Fishman), 892 (Comm. in brief)
- hyperaldosteronism during (Merrill, Dombroski, and MacKenna), 786 (Comm. in brief)
- prolonged. I. Observations concerning causes of fetal distress (Leveno et al.), 465

Pregnancy—Cont'd

- prospective study of vaginal flora in: risk factors for prematurity and premature rupture of membranes (Minkoff et al.), 965
- second and third trimesters of, natural history of X-linked aequeductal stenosis in (Friedman and Santos-Ramos), 104 (Comm. in brief)
- trimester cervical, conservative treatment of postpartum hemorrhage in (ten Kate-Booij and Wallenburg), 103 (Comm. in brief)
- self-monitoring of blood glucose by diabetic women during third trimester of (Hanson et al.), 817
- subsequent to primary cesarean childbirth, frequency, spacing, and outcome of (Zdeb, Theriault, and Logrillo), 205
- successful, following partial hepatectomy for removal of hepatocellular adenomas (Barnes, Harder, and Toot), 998 (Comm. in brief)
- suspected ectopic, contemporary approach to, with use of quantitative and qualitative assays for β -subunit of human chorionic gonadotropin and sonography (Holman, Tyrey, and Hammond), 151
- term, estrogen and progesterone receptor and hormone levels in human myometrium and placenta in (Khan-Dawood and Dawood), 501
- termination, low-dose prostaglandin E_1 analogue for cervical dilatation prior to (Borten, DiLeo, and Friedman), 561
- second-trimester, placenta percreta associated with (Hornstein et al.), 1002 (Comm. in brief)
- thrombotic thrombocytopenic purpura mimicking toxemia of (Vanderkerckhove et al.), 320 (Comm. in brief)
- with long-term hypertension, effects of diuretics on plasma volume in (Sibai, Grossman, and Grossman), 831
- Pregnant rat, altered effect of 3% dietary cholestyramine on plasma lipids and biliary bile acid output in (Innis), 742
- sheep, effect of fetal intravascular 4-aminopyridine infusions on myometrial activity (contractures) at 125 to 143 days' gestation in (El Badry et al.), 474
- women, effect of hypertension in, on fetal adrenal function and fetal plasma lipoprotein-cholesterol metabolism (Parker et al.), 263
- plasma prostaglandins during intravenous infusion of angiotensin II in (Strickland et al.), 952
- Primigravid women at term, management of spontaneous rupture of membranes in absence of labor in (Conway et al.), 947
- Premature delivery, addition of magnesium sulfate improves effectiveness of ritodrine in preventing (Hajjis et al.), 142
- adrenocorticotropin-induced, and spontaneous vaginal delivery at term, comparison of changes in ovine plasma chorionic somatomammotropin concentrations in fetus and mother before (Lowe et al.), 524
- infant, uterine strangulation of (Goodlin and Kubitz), 435 (Comm. in brief)
- rupture of membranes, C-reactive protein as predictor for chorioamnionitis in cases of (Romem and Arta), 546
- and prematurity, risk factors for: prospective study of vaginal flora in pregnancy (Minkoff et al.), 965
- and preterm labor, effects of betamethasone on white blood cells in patients with (Ferguson, Hensleigh, and Gill), 439 (Comm. in brief)
- Prematurely ruptured membranes, preterm, management of: retrospective comparison of observation versus use of steroids and timed delivery (Iams and Barrows), 977
- Prematurity and premature rupture of membranes, risk factors for: prospective study of vaginal flora in pregnancy (Minkoff et al.), 965
- Premenstrual syndrome, abnormal essential fatty acid levels in plasma of women with (Brush et al.), 363
- weight, abdominal swelling, and perceived body image (Faratian et al.), 200
- Prenatal diagnosis and treatment of fetal thyrotoxicosis (Pekonen et al.), 893 (Comm. in brief)
- population at risk for inherited hemoglobin disorders, screening protocol for: results of its application to group of Southeast Asians and blacks (Stein et al.), 333 (Clinical opinion)
- Preoperative diagnoses for hysterectomy, confirmation of (Lee et al.), 283
- Pressure changes, peripartum colloid osmotic: influence of intravenous hydration (Gonik et al.), 99 (Comm. in brief)
- Preterm delivery is not predicted by serial plasma estradiol or progesterone concentration measurements (Block, Liggins, and Creasy), 716

Preterm—Cont'd

- labor, double-blind study comparing ritodrine and terbutaline in treatment of (Caritis et al.), 7
 - and premature rupture of membranes, effects of betamethasone on white blood cells in patients with (Ferguson, Hensleigh, and Gill), 439 (Comm. in brief)
 - prematurely ruptured membranes, management of: retrospective comparison of observation versus use of steroids and timed delivery (Iams and Barrows), 977
 - Progesterone concentration measurements, serial plasma estradiol or, preterm delivery is not predicted by (Block, Liggins, and Creasy), 716
 - and estradiol and their receptors, sequential changes in: implantation of rabbit blastocyst (Khan-Dawood and Dawood), 450
 - and estrogen receptor and hormone levels in human myometrium and placenta in term pregnancy (Khan-Dawood and Dawood), 501
 - receptor content, cytoplasmic estrogen and, of uterine sarcomas (Soper et al.), 342
 - cytoplasmic, induction of, in human endometrial carcinoma transplanted into nude mice (Soper et al.), 437 (Comm. in brief)
 - Prognosis of breast cancer, proposal to decrease risk and improve (Gambrell), 119
 - Prolactin levels, amniotic fluid, in tubal gestation: support for unique role of decidua (Rosenberg), 102 (Comm. in brief)
 - response to breast stimulation in lactating women is not mediated by endogenous opioids (Cholst et al.), 558
 - Prostaglandin(s) E_2 analogue, low-dose, for cervical dilatation prior to pregnancy termination (Borten, DiLeo, and Friedman), 561
 - and meclofenamate affect breathing movements independently of glucose concentrations in fetal sheep (Murai et al.), 758
 - vaginal, for induction of labor, uterine rupture with use of (Claman, Carpenter, and Reiter), 889 (Comm. in brief)
 - F_{1a} (6-keto-) and thromboxane B_2 , amniotic fluid, during labor (Mäkeläinen and Ylikorkala), 765
 - F_{2a} impact, double, postconceptional induction of menses with (Borten and Friedman), 1006 (Comm. in brief)
 - oxytocin, and uterine activation in hypertonic saline-induced abortions (Fuchs et al.), 27
 - peritoneal fluid, measurement of: etiology of infertility in monkeys with endometriosis (Schenken et al.), 349
 - plasma, during intravenous infusion of angiotensin II in pregnant women (Strickland et al.), 952
 - Protein A, pregnancy-associated plasma, serum concentration of, in first trimester of pregnancy (Bersinger and Klopfer), 780 (Current investigation)
 - C-reactive, as predictor for chorioamnionitis in cases of premature rupture of membranes (Romem and Arta), 546
 - Puerperal uterine inversion, acute, management considerations in patient with: previous cesarean birth (Rodriguez et al.), 433 (Comm. in brief)
 - and subacute, management of, with terbutaline sulfate (Kovacs and DeVore), 784 (Comm. in brief)
 - Puerperium, antepartum diagnosis and management with tumor resection in: pheochromocytoma (Venuto, Burstein, and Schneider), 431 (Comm. in brief)
 - Pulmonary maturation, fetal, what affects, during diabetic pregnancy (Ferroni et al.), 270
 - Purpura, autoimmune thrombocytopenic: current concepts and recommended practices (Martin, Morrison, and Files), 86 (Current developments)
 - thrombotic thrombocytopenic, mimicking toxemia of pregnancy (Vanderkerckhove et al.), 320 (Comm. in brief)
 - "Pursuit of excellence": have we apprehended and comprehended it (Sosnowski), 115
 - PZ-peptidase, enzyme involved in collagen breakdown, rise in serum levels of, in human pregnancy and labor (Rajabi and Woessner), 821
- R
- Radioactivity in blood and urine following intraperitoneal instillation of chromic phosphate in patients with and without ascites (Bakri and Given), 184
 - Receptor(s) activity, gonadal androgen: androgen insensitivity syndrome (Coulam, Graham, and Spelsberg), 531
 - α_1 -adrenergic, quantitation of, in porcine uterine and mesenteric arteries (Farley et al.), 485
 - androgen, in human testis, evidence for (Graham et al.), 534

Receptor(s)—Cont'd

- content, cytoplasmic estrogen and progesterone, of uterine sarcomas (Soper et al.), 342
- cytoplasmic progesterone, induction of, in human endometrial carcinoma transplanted into nude mice (Soper et al.), 437 (Comm. in brief)
- and hormone levels, estrogen and progesterone, in human myometrium and placenta in term pregnancy (Khan-Dawood and Dawood), 501
- oxytocin, in human uterus during pregnancy and parturition (Fuchs et al.), 734
- periarterial α_1 -adrenergic, and ovarian steroids, interaction of, in altering uterine blood flow during estrous cycle of gilts (Ford et al.), 480
- specific 5α -dihydrotestosterone, and 5α -reductase activity in human amniotic fluid cells (Sultan et al.), 956
- steroid hormone, in adrenal cortical carcinoma (Sanfilippo and Wittliff), 326 (Comm. in brief)
- their, estradiol and progesterone and, sequential changes in: implantation of rabbit blastocyst (Khan-Dawood and Dawood), 450
- Reductase (5α -) activity and specific 5α -dihydrotestosterone receptor in human amniotic fluid cells (Sultan et al.), 956
- Reduction limb defects and vitamin intake during early pregnancy, lack of association between (Aro et al.), 433 (Comm. in brief)
- Releasing, gonadotropin-, hormone level, immunoreactive, in maternal circulation throughout pregnancy (Siler-Khodr, Khodr, and Valenzuela), 376
- Religious group avoiding obstetric care, perinatal and maternal mortality in (Kaunitz et al.), 826
- Renal anomalies, congenital, diagnosis of, with ultrasound. II. Infantile polycystic kidney disease (Romero et al.), 259
- Reproductive performance and blood pressure, relationship between, in spontaneously hypertensive rat (Lorenz et al.), 519
- Resuscitation, fetal, with terbutaline during eclampsia-induced uterine hypertonus (Barrett), 895 (Comm. in brief)
- Retardation, experimental intrauterine growth, regional distribution of cerebral blood flow in (Clapp et al.), 843
- Ring, tubal, comparative study of topical anesthesia for laparoscopic sterilization with use of (Koetsawang et al.), 931
- Ritodrine, addition of magnesium sulfate improves effectiveness of, in preventing premature delivery (Hatjis et al.), 142
- and terbutaline, double-blind study comparing, in treatment of preterm labor (Caritis et al.), 7
- Rupture of gravid uterus, uterine contractility after: case report (Zuidema, Goldkranz, and Work), 783 (Comm. in brief)
- premature, of membranes, C-reactive protein as predictor for chorioamnionitis in cases of (Romem and Arta), 546
- and prematurity, risk factors for: prospective study of vaginal flora in pregnancy (Minkoff et al.), 965
- and preterm labor, effects of betamethasone on white blood cells in patients with (Ferguson, Hensleigh, and Gill), 439 (Comm. in brief)
- spontaneous, of gravid uterus in patient with diethylstilbestrol-type genital changes (Williamson, Sowell, and Smith), 158
- of membranes, management of, in absence of labor in primigravid women at term (Conway et al.), 947
- uterine, with use of vaginal prostaglandin E_2 for induction of labor (Claman, Carpenter, and Reiter), 889 (Comm. in brief)
- Ruptured membranes, preterm prematurely, management of: retrospective comparison of observation versus use of steroids and timed delivery (Iams and Barrows), 977

S

- Saline, hypertonic, -induced abortions, prostaglandin F_{2a} , oxytocin, and uterine activation in (Fuchs et al.), 27
- Sarcomas, uterine, cytoplasmic estrogen and progesterone receptor content of (Soper et al.), 342
- Scleroderma, cervical: case of soft tissue dystopia (Bellucci, Coustan, and Plotz), 891 (Comm. in brief)
- Screening program, its cervical cytology, cervical cancer occurrence in Memphis and Shelby County, Tennessee, during 25 years of (Dunn et al.), 861
- protocol for prenatal population at risk for inherited hemoglobin disorders: results of its application to group of Southeast Asians and blacks (Stein et al.), 333 (Clinical opinion)
- test for carbohydrate intolerance, glycosylated hemoglobin as, in pregnancy (Cousins et al.), 455

- Self-monitoring of blood glucose by diabetic women during third trimester of pregnancy (Hanson et al.), 817
- Semen transferrin concentration and sperm fertilizing capacity, correlation of (Sueldo et al.), 528
- Sensitization, anti-Kp^b, severe erythroblastosis fetalis secondary to (Dacus and Spinnato), 888 (Comm. in brief)
- Serum concentration(s) of pregnancy-associated plasma protein A in first trimester of pregnancy (Bersinger and Klopfer), 780 (Current investigation)
- of vitamin D metabolites in maternal and cord blood, effects on: anticonvulsant drug therapy in human pregnancy (Markestad et al.), 254
- levels of PZ-peptidase, enzyme involved in collagen breakdown, rise in, in human pregnancy and labor (Rajabi and Woessner), 821
- Sex chromosomal rings and fragments and gonadal dysgenesis, gonadal tumors in patients with (Nagel et al.), 76
- Shelby County and Memphis, Tennessee, cervical cancer occurrence in, during 25 years of its cervical cytology screening program (Dunn et al.), 861
- Size at birth, determinants of, in Canadian population (Anderson et al.), 236
- Skin temperature, luteinizing hormone secretion, and menopausal flushes, effect of methyldopa on (Tulandi et al.), 709
- Society for Gynecologic Investigation, papers of, 443-571
- Somatomammotropin concentrations, ovine plasma chorionic, comparison of changes in, in fetus and mother before spontaneous vaginal delivery at term and adrenocorticotropin-induced premature delivery (Lowe et al.), 524
- Sonographic demonstration of thecoma: report of two cases (Diakoumakis, Vieux, and Seife), 787 (Comm. in brief)
- Sonography and quantitative and qualitative assays for β -subunit of human chorionic gonadotropin, contemporary approach to suspected ectopic pregnancy with use of (Holman, Teyre, and Hammond), 151
- South Atlantic Association of Obstetricians and Gynecologists (The), transactions, forty-sixth annual meeting, 115-188
- Southeast Asians and blacks, results of application to group of: screening protocol for prenatal population at risk for inherited hemoglobin disorders (Stein et al.), 333 (Clinical opinion)
- Spectrometry, mass, continuous, noninvasive measurement of fetal oxygen and carbon dioxide levels in labor by use of (Sykes et al.), 847
- Sperm fertilizing capacity and semen transferrin concentration, correlation of (Sueldo et al.), 528
- Spiral (uteroplacental) arteries of human placental bed show presence of amniotic basement membrane antigens (Wells et al.), 973
- Sponge, Today contraceptive, and diaphragm, comparative trial of (Edelman, McIntyre, and Harper), 869
- Squamous cell carcinoma arising from ovarian benign cystic teratoma (Selim, Razi, and Lankerani), 790 (Comm. in brief)
- Stenosis, noncongenital vaginal, and distortion, management of, by bicycle seat stool pressure technique (Williams, Ingram, and Welden), 166
- X-linked aqueductal, natural history of, in second and third trimesters of pregnancy (Friedman and Santos-Ramos), 104 (Comm. in brief)
- Sterilization, laparoscopic, with use of tubal ring, comparative study of topical anesthesia for (Koetsawang et al.), 931
- Steroid(s) hormone receptors in adrenal cortical carcinoma (Sanfilippo and Wiltfrit), 326 (Comm. in brief)
- ovarian, and periaarterial α_1 -adrenergic receptors, interaction of, in altering uterine blood flow during estrous cycle of gilts (Ford et al.), 480
- and timed delivery, use of, retrospective comparison of observation versus: management of preterm prematurely ruptured membranes (Iams and Barrows), 977
- Stillborn fetus, *Escherichia coli* gas production in (Jasnusz, Macpherson, and Mazer), 1001 (Comm. in brief)
- Strangulation, uterine, of premature infant (Goodlin and Kubitz), 435 (Comm. in brief)
- Substrates, hormones, and hepatic enzymes, fetal, effects of physiologic hyperinsulinemia on: chronic hyperinsulinemia in fetal rhesus monkey (Susa et al.), 415
- Supraventricular tachycardia, fetal, correction of, by compression of umbilical cord: report of case (Martin, Nijhuis, and Weijer), 324 (Comm. in brief)
- Surfactant composition, amniotic fluid and pharyngeal aspirate, comparison of (Mattox et al.), 132
- Swelling, abdominal, weight, and perceived body image: premenstrual syndrome (Faratian et al.), 200
- Syndrome, androgen insensitivity: gonadal androgen receptor activity (Coulam, Graham, and Spelsberg), 531
- Bland-White-Garland, in pregnancy (Klein et al.), 106 (Comm. in brief)
- polycystic ovary, evidence for altered catecholamine metabolism in (Shoupe and Lobo), 566
- premenstrual, abnormal essential fatty acid levels in plasma of women with (Brush et al.), 363
- weight, abdominal swelling, and perceived body image (Faratian et al.), 200
- Synthesis, cholesterol, by human fetal hepatocytes: effect of lipoproteins (Carr and Simpson), 551
- Syphilis, inadequate treatment of, in pregnancy (Mascola, Pelosi, and Alexander), 945

T

- Tachycardia, fetal supraventricular, correction of, by compression of umbilical cord: report of case (Martin, Nijhuis, and Weijer), 324 (Comm. in brief)
- Temperature, skin, luteinizing hormone secretion, and menopausal flushes, effect of methyldopa on (Tulandi et al.), 709
- Tennessee, Memphis and Shelby County, cervical cancer occurrence in, during 25 years of its cervical cytology screening program (Dunn et al.), 861
- Teratoma, fetal pharyngeal—another cause of elevated amniotic fluid α -fetoprotein (Anderson et al.), 432 (Comm. in brief)
- ovarian benign cystic, squamous cell carcinoma arising from (Selim, Razi, and Lankerani), 790 (Comm. in brief)
- Terbutaline and ritodrine, double-blind study comparing, in treatment of preterm labor (Caritis et al.), 7
- sulfate, management of acute and subacute puerperal uterine inversion with (Kovacs and DeVore), 784 (Comm. in brief)
- Test, screening, for carbohydrate intolerance, glycosylated hemoglobin as, in pregnancy (Cousins et al.), 455
- Testing, antepartum fetal heart rate. XI. Stimulation with orange juice (Eglington et al.), 97 (Comm. in brief)
- nonstress, significance of fetal heart rate decelerations during (Bourgeois, Thiagarajah, and Harbert), 213
- Testis, human, evidence for androgen receptor in (Graham et al.), 534
- Thecoma, sonographic demonstration of: report of two cases (Diakoumakis, Vieux, and Seife), 787 (Comm. in brief)
- Thrombocytopenia in preeclampsia: associated abnormalities and management principles (Thiagarajah et al.), 1
- Thrombocytopenic purpura, autoimmune: current concepts and recommended practices (Martin, Morrison, and Files), 86 (Current developments)
- thrombotic, mimicking toxemia of pregnancy (Vanderkerckhove et al.), 320 (Comm. in brief)
- Thromboxane B₂ and 6-keto-prostaglandin F_{1 α} , amniotic fluid, during labor (Mäkeläinen and Ylikorkala), 765
- Thyroid function and human chorionic gonadotropin in patients with hydatidiform mole (Amir et al.), 723
- Thyrototoxicosis, fetal, prenatal diagnosis and treatment of (Pekonen et al.), 893 (Comm. in brief)
- Tissue dystocia, soft, case of: cervical scleroderma (Bellucci, Coustan, and Plotz), 891 (Comm. in brief)
- sheep placental, at term, adrenocorticotrophic activity of extract from (Mitchell et al.), 217
- Today contraceptive sponge and diaphragm, comparative trial of (Edelman, McIntyre, and Harper), 869
- Topical anesthesia for laparoscopic sterilization with use of tubal ring, comparative study of (Koetsawang et al.), 931
- contraceptive, effect of, on endocervical culture for *Neisseria gonorrhoeae* (Livengood, Addison, and Voeller), 319 (Comm. in brief)
- Topographical relationship of epithelial cells, use of montages to study: ultrastructure of normal, metaplastic, and abnormal human uterine cervix (Feldman et al.), 573
- Toxemia of pregnancy, thrombotic thrombocytopenic purpura mimicking (Vanderkerckhove et al.), 320 (Comm. in brief)
- Transactions, forty-sixth annual meeting, The South Atlantic Association of Obstetricians and Gynecologists, 115-188
- Transcutaneous carbon dioxide measurements in fetus during labor (Hansen et al.), 47
- Transferrin concentration, semen, and sperm fertilizing capacity, correlation of (Sueldo et al.), 528
- Transfusions, fetoscopic intravascular, management of severe rhesus isoimmunization by (Rodeck et al.), 769

- Transplanted into nude mice, induction of cytoplasmic progesterone receptor in human endometrial carcinoma (Soper et al.), 437 (Comm. in brief)
- Trauma, birth, macrosomia, and operative delivery, prophylactic insulin treatment of gestational diabetes reduces incidence of (Coustau and Imarah), 836
- Trisomy 21, diagnosis of, by chorionic villus biopsy (Chatterjee et al.), 319 (Comm. in brief)
- Trophoblast, persistent, following conservative operation for ectopic pregnancy (Richards), 100 (Comm. in brief)
- Trophoblastic disease, gestational, epidemiology of (Grimes), 309 (Current developments)
- use of oral VP16-213 as primary chemotherapeutic agent in treatment of (Wong, Choo, and Ma), 924
- neoplasms, gestational, reevaluation of 5-fluorouracil as single therapeutic agent for (Sung, Wu, and Yang), 69
- Tubal gestation, amniotic fluid prolactin levels in: support for unique role of decidua (Rosenberg), 102 (Comm. in brief)
- ring, comparative study of topical anesthesia for laparoscopic sterilization with use of (Koetsawang et al.), 931
- Tumor(s), gonadal, in patients with gonadal dysgenesis and sex chromosomal rings and fragments (Nagel et al.), 76
- resection in puerperium, antepartum diagnosis and management with: pheochromocytoma (Venuto, Burstein, and Schneider), 431 (Comm. in brief)
- Twin amniocentesis, use of indigo carmine for, and its effect on bilirubin analysis (Horger and Moody), 858
- gestation, rhesus isoimmunization in (Knuppel et al.), 136
- successful outcome of, in both horns of bicornuate uterus (Ahram et al.), 323 (Comm. in brief)

U

- Ultrasound, diagnosis of congenital renal anomalies with. II. Infantile polycystic kidney disease (Romero et al.), 259
- etiologic heterogeneity of fetal hydrocephalus diagnosed by (Harrod et al.), 38
- evaluation of amniotic fluid volume. I. Relationship of marginal and decreased amniotic fluid volumes to perinatal outcome (Chamberlain et al.), 245
- II. Relationship of increased amniotic fluid volume to perinatal outcome (Chamberlain et al.), 250
- legal liability in use of, by office-based obstetricians (Perone, Carpenter, and Robertson), 801 (Clinical opinion)
- Ultrastructure of normal, metaplastic, and abnormal human uterine cervix: use of montages to study topographical relationship of epithelial cells (Feldman et al.), 573
- Umbilical cord, correction of fetal supraventricular tachycardia by compression of: report of case (Martin, Nijhuis, and Weijer), 324 (Comm. in brief)
- plasma concentrations of deoxycorticosterone sulfate in anencephalic fetuses (Parker et al.), 754
- Urea, inorganic ions, albumin, and glucose, concentrations of, and osmolality, human uterine fluid, examined in undiluted samples for (Casslén and Nilsson), 877
- Urine and blood, radioactivity in, following intraperitoneal instillation of chromic phosphate in patients with and without ascites (Bakri and Given), 184
- production in compromised fetus, maternal furosemide may not provoke (Harman), 322 (Comm. in brief)
- Uroflowmetry: spontaneous versus instrumented (Bergman and Bhatia), 788 (Comm. in brief)
- Uterine activation, oxytocin, and prostaglandin $F_{2\alpha}$ in hypertonic saline-induced abortions (Fuchs et al.), 27
- blood flow, interaction of ovarian steroids and periarterial α_1 -adrenergic receptors in altering, during estrous cycle of gilts (Ford et al.), 480
- cervix, normal, metaplastic, and abnormal human, ultrastructure of: use of montages to study topographical relationship of epithelial cells (Feldman et al.), 573
- contractility after rupture of gravid uterus: case report (Zuidema, Goldkrand, and Work), 783 (Comm. in brief)
- fluid, human, examined in undiluted samples for osmolality and concentrations of inorganic ions, albumin, glucose, and urea (Casslén and Nilsson), 877
- hypertonus, eclampsia-induced, fetal resuscitation with terbutaline during (Barrett), 895 (Comm. in brief)
- inversion, acute puerperal, management considerations in patient with: previous cesarean birth (Rodriguez et al.), 433 (Comm. in brief)
- and subacute puerperal, management of, with terbutaline sulfate (Kovacs and DeVore), 784 (Comm. in brief)

Uterine—Cont'd

- and mesenteric arteries, porcine, quantitation of α_1 -adrenergic receptors in (Farley et al.), 485
- rupture with use of vaginal prostaglandin E_2 for induction of labor (Claman, Carpenter, and Reiter), 889 (Comm. in brief)
- sarcomas, cytoplasmic estrogen and progesterone receptor content of (Soper et al.), 342
- strangulation of premature infant (Goodlin and Kubitz), 435 (Comm. in brief)
- Uteroplacental (spiral) arteries of human placental bed show presence of amniotic basement membrane antigens (Wells et al.), 973
- Uterus, bicornuate, successful outcome of twin gestation in both horns of (Ahram et al.), 323 (Comm. in brief)
- gravid, spontaneous rupture of, in patient with diethylstilbestrol-type genital changes (Williamson, Sowell, and Smith), 158
- uterine contractility after rupture of: case report (Zuidema, Goldkrand, and Work), 783 (Comm. in brief)
- human, oxytocin receptors in, during pregnancy and parturition (Fuchs et al.), 734

V

- Vaginal delivery, spontaneous, at term and adrenocorticotropin-induced premature delivery, comparison of changes in ovine plasma chorionic somatomammotropin concentrations in fetus and mother before (Lowe et al.), 524
- flora in pregnancy, prospective study of: risk factors for prematurity and premature rupture of membranes (Minkoff et al.), 965
- prostaglandin E_2 for induction of labor, uterine rupture with use of (Claman, Carpenter, and Reiter), 889 (Comm. in brief)
- stenosis, noncongenital, and distortion, management of, by bicycle seat stool pressure technique (Williams, Ingram, and Welden), 166
- Vaginitis, nonspecific (bacterial vaginosis), prevalence, six-month persistence, and predictive values of laboratory indicators of, in asymptomatic women (Bump et al.), 917
- Vaginosis, bacterial (nonspecific vaginitis), prevalence, six-month persistence, and predictive values of laboratory indicators of, in asymptomatic women (Bump et al.), 917
- Vascular endothelial damage, possible biochemical marker for: plasma fibronectin levels in preeclampsia (Stubbs, Lazarchick, and Horger), 885 (Current investigation)
- Ventricular size and contractility, M-mode assessment of, during second and third trimesters of pregnancy in normal fetus, IV. Fetal echocardiography (DeVore, Siassi, and Platt), 981
- Vertex presentation, association between cesarean birth and outcome in: relative importance of birth weight, Dubowitz scores, and delivery route (Rosen and Chik), 775
- Villus biopsy, chorionic, diagnosis of trisomy 21 by (Chatterjee et al.), 319 (Comm. in brief)
- Virus, herpes simplex, asymptomatic genital excretion of, during early labor (Hankins et al.), 100 (Comm. in brief)
- Vitamin D metabolites in maternal and cord blood, effects on serum concentrations of: anticonvulsant drug therapy in human pregnancy (Markestad et al.), 254
- intake during early pregnancy and reduction limb defects, lack of association between (Aro et al.), 433 (Comm. in brief)
- Volume, plasma, effects of diuretics on, in pregnancies with long-term hypertension (Sibai, Grossman, and Grossman), 831
- VP16-213- and cisplatin-containing regimen for treatment of refractory ovarian germ cell malignancies (Smith, Clarke-Pearson, and Creasman), 927
- oral, use of, as primary chemotherapeutic agent in treatment of gestational trophoblastic disease (Wong, Choo, and Ma), 924
- Vulva, bullous pemphigoid of: case report (Stage, Humeniuk, and Easley), 169
- Vulvar carcinoma in situ, wide local excision in treatment of: reappraisal (Wolcott and Gallup), 695
- ten-year prospective study in management change of (Trelford et al.), 288
- lichen sclerosis, genetic aspects of (Friedrich and MacLaren), 161

W

- Warts, genital, and cervical cancer. VI. Relationship between aneuploid and polyploid cervical lesions (Reid et al.), 189
- Weight, abdominal swelling, and perceived body image: premenstrual syndrome (Faratian et al.), 200
- birth, Dubowitz scores, and delivery route, relative importance of: association between cesarean birth and outcome in vertex presentation (Rosen and Chik), 775

White blood cells, effects of betamethasone on, in patients with premature rupture of membranes and preterm labor (Ferguson, Hensleigh, and Gill), 439 (Comm. in brief)

X

X-linked aqueductal stenosis, natural history of, in second and third trimesters of pregnancy (Friedman and Santos-Ramos), 104 (Comm. in brief)

XY and XX complete moles: clinical and morphologic correlations (Kajii et al.), 57

Y

Young and middle-aged women, cardiorespiratory efficiency at sub-maximal work in (Zauner et al.), 712

